



Delta Commentary pacs.008

SIC and euroSIC

Release 4.9

Valid from 18 November 2022

Change history

All the changes carried out in this handbook are listed below with the version designation, the change date, a brief description of the change and the specification of the chapters affected.

Version	Date	Description of the change	Chapter
1.1	07.04.2022	Errata per SIC Platform Release 4.9	
		New CH schema version pacs.008.001.08.ch.02.xsd (Details according to separate document "Overview and Change Log for the XML schemas")	1.3
		Changes to the following elements (see "Errata"): • InstrForNxtAgt	2.2
1.0	05.11.2021	First publication	

Table 1: Change history

Please address all suggestions, corrections, and proposed improvements to this document to:

SIX Interbank Clearing Ltd

Hardturmstrasse 201

CH-8005 Zurich

E-Mail: operations.sic@six-group.com

www.six-group.com

General notes

SIX Interbank Clearing Ltd ("**SIC Ltd**") reserves the right to modify this document, as the need arises, at any time without prior notice.

SIC Ltd reserves all rights for this document including the rights of photomechanical reproduction, storage on electronic media and the translation into foreign languages.

Although great care has been taken in the compilation and preparation of this work to ensure accuracy, errors and omissions cannot be entirely ruled out. SIC Ltd cannot be held liable for any decision made or action taken in reliance on the information in this document or for any consequential, special or similar damages.

To improve readability, the use of masculine and feminine forms of language are avoided wherever possible. All personal designations are to be regarded as gender neutral.

If you detect any errors in this document or have any ideas or suggestions for improvements we would be extremely grateful if you would notify these by e-mail to [**operations.sic@six-group.com**](mailto:operations.sic@six-group.com).

Table of contents

Change history	2
General notes	3
Table of contents.....	4
1 Introduction	5
1.1 Target audience	5
1.2 Delta commentary	5
1.3 XML schema	5
1.4 Validation portal	5
1.5 Abbreviations and relevant websites.....	6
2 Technical specifications for the RTGS systems	7
2.1 Group Header (GrpHdr, A-level)	7
2.2 Credit Transfer Transaction Information (CdtTrfTxInf, B-level)	10

Table of tables

Table 1: Change history.....	2
Table 2: Typographical conventions in the Delta tables	5
Table 3: Abbreviations used in the Delta tables and relevant websites for further information	6
Table 4: Group Header Delta (GrpHdr, A-level).....	9
Table 5: Credit Transfer Transaction Information Delta (CdtTrfTxInf, B-level).....	58

1 Introduction

1.1 Target audience

The "Implementation Guidelines for ISO 20022 Interbank Messages" and this "Delta Commentary" are addressed to all participants of the Swiss RTGS systems SIC and euroSIC.

1.2 Delta commentary

This "Delta Commentary" is a detailed description of the changes implemented to the XML Schema and the pacs.008 message, migrating from the previous version to ISO 20022 Schema 2019.

Refer to the Implementation Guidelines for Customer Payments (pacs.008) and the Base Document for full details.

The following typographical conventions are used in the tables in chapter 2 to quickly identify all of the significant changes in this release.

Convention	Meaning
Red band on the right	Identifies new elements and/or changed definitions of existing elements
Green text	Always starts with the prefix " Schema 2019: " and identifies any changes in the 2019 version of the native ISO schema compared to the previous version.
Blue text	Information about specific customizations for Swiss market practices. If a CR2022-SIC4-NNNN number is specified, the change relates to a formal change request becoming effective in November 2022.

Table 2: *Typographical conventions in the Delta tables*

1.3 XML schema

The XML schema for "pacs.008" for the RTGS systems is published on the www.iso-payments.ch website.

- **pacs.008.001.08.ch.02.xsd**

It should preferably be opened using specific XML software.

1.4 Validation portal

The corresponding implementation guideline, the XML schema and additional examples can also be downloaded from the SIC & euroSIC Validation Portal for Interbank Messages (validation.iso-payments.ch/SIC4).

After successful registration, users can upload their own messages and have them validated against the Implementation Guidelines.

1.5 Abbreviations and relevant websites

The abbreviations used in delta tables below refer to these industry-relevant market practices:

Abbreviation	Explanation
SPS	<p>Swiss Payment Standards</p> <p>The Swiss financial industry has released recommendations on data exchanges between customers and banks based on the ISO 20022 definitions for Payments and Cash Management.</p> <p>The Swiss Payment Standards for the implementation of the message standards for "Payment Initiation" and "Cash Management" based on the ISO 20022 standard are developed on behalf of PaCoS (Payments Committee Switzerland).</p> <p>www.iso-payments.ch</p>
CBPR+	<p>Cross-Border Payments and Reporting Plus (CBPR+) is a SWIFT initiative. The CBPR+ market practice group has been created to prepare the ISO 20022 migration of the cross-border payments business by:</p> <ul style="list-style-type: none"> defining global ISO 20022 market practice guidelines for selected payments and cash reporting messages in the many to many space creating translation rules between FIN and ISO 20022 for category 1, 2 and 9 message types <p>www.swift.com/de/node/301451</p>
HVPS+	<p>High Value Payments Plus (HVPS+) is a SWIFT initiative.</p> <p>One of the principal aims of HVPS+ is to promote harmonization around ISO 20022 and to reduce the risk of fragmentation due to inconsistencies and multiple standards across different markets.</p> <p>www.swift.com/news-events/news/high-value-payments-plus-hvps-next-stage-step-towards-iso-20022-harmonisation</p>
TARGET2	<p>Trans-European Automated Real-time Gross Settlement Express Transfer System</p> <p>The real-time gross settlement (RTGS) system owned and operated by the Eurosystem. Central banks and commercial banks submit payment orders in euro to TARGET2, where they are processed and settled in central bank money, i.e. money held in an account with a central bank.</p> <p>About the T2-T2S consolidation project:</p> <p>TARGET2 has been running smoothly for over a decade, ensuring the safety and efficiency of European payments. Payments have changed significantly in the meantime due to technological developments, regulatory requirements and changing consumer demands. The new RTGS system will offer the market enhanced and modernized services. The ISO 20022 messaging standard is used, which is also the case for T2S and TIPS, and this facilitates payments in several currencies at the discretion of the respective central bank.</p> <p>www.ecb.europa.eu/paym/target/target2/html/index.en.html</p> <p>www.ecb.europa.eu/paym/target/consolidation/html/index.en.html</p>

Table 3: Abbreviations used in the Delta tables and relevant websites for further information

2 Technical specifications for the RTGS systems

2.1 Group Header (GrpHdr, A-level)

The following table specifies all the elements of the "Group Header" of the "pacs.008" message that are relevant to the RTGS systems.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Document +FITo FICustomer Credit Transfer V08	FIToFICstmrCdtTrf	1..1	1..1		
Group Header	GrpHdr	1..1	1..1		
Group Header +Message Identification	MsgId	1..1	1..1	Message Identification Only the restricted character set for references (excluding spaces) is permitted for this element. It is used together with <InstgAgt> for duplicate checking at message level and may only occur once within the permitted value dates. Permitted value dates are value date today and 2 days in the past. Note: For a payment to be processed successfully, no duplicates must be detected at either message level or transaction level. Term "SWIFT character set" replaced by generic term for restricted character set (only typo, no change of allowed characters).	
Group Header +Creation Date Time	CreDtTm	1..1	1..1	Creation Date Time	
Group Header +Number Of Transactions	NbOfTx	1..1	1..1	Number of Transactions The entry for the number of transactions must be "1".	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Group Header +Total Interbank Settlement Amount	TtlIntrBkSttlmAmt	0..1	0..1	Total Settlement Amount If present, the amount must be identical with the settlement amount in the <IntrBkSttlmAmt> element. Must contain no more than 13 digits (excl. decimal separator) including a maximum of 2 fractional digits. Amount must be >0, the maximum accepted amount is 99,999,999,999.99. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	SEPPMT: Currency EUR: Must be used. The maximum accepted amount is 999,999,999.99. SEPFCP: Currency EUR: Must be used. The maximum accepted amount is 999,999,999.99.
	@ Ccy			Currency Code If present, the currency must be identical with the currency of the settlement amount in the <IntrBkSttlmAmt/@Ccy> element. The currency code must be CHF or EUR. The currency must correspond to the currency in the respective RTGS system.	SEPPMT: Only EUR permitted. SEPFCP: Only EUR permitted.
Group Header +Settlement Information	SttlmInf	1..1	1..1	Settlement Information	
Group Header +Settlement Information ++Settlement Method	SttlmMtd	1..1	1..1	Settlement Method Content must be CLRG (Clearing).	
Group Header +Settlement Information ++Settlement Account	SttlmAcct	0..1	0..1	Settlement Account Must not be used.	
Group Header +Settlement Information ++Clearing System	ClrSys	0..1	1..1	Clearing System Must be used to unambiguously identify the clearing system. Cardinality Change 0..1 -> 1..1: will be globally declared mandatory for all SIC/euroSIC payment types to unambiguously identify related clearing system SIC and/or euroSIC. Because of future global mandatory usage of ClrSys new definition has been added and all former payment type-specific definitions/restrictions have been removed. Subelement <Prtry> removed to adapt TARGET2 usage.	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Group Header +Settlement Information ++Clearing System +++Code	Cd	1..1	1..1	Clearing System Identification (code) Unambiguous identification of the clearing system, the following code values are available: SIC (CHF only) = value SIC must be used euroSIC (EUR only) = value SEU must be used New generic CH definition and payment type specific definition SEPPMT/SEPFPCP added with definition of allowed code values.	SEPPMT: Only SEU permitted. SEPFPCP: Only SEU permitted.

Table 4: Group Header Delta (GrpHdr, A-level)

2.2 Credit Transfer Transaction Information (CdtTrfTxInf, B-level)

The following table specifies all the elements of the "Credit Transfer Transaction Information" of the "pacs.008" message that are relevant to the RTGS systems.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information	CdtTrfTxInf	1..n	1..1	This element cannot be used more than once. Cardinality Change 1..n -> 1..1: former business rule for maximum usage of 1 has been replaced by new schema definition.	
Credit Transfer Transaction Information +Payment Identification	PmtId	1..1	1..1	Payment References	
Credit Transfer Transaction Information +Payment Identification ++Instruction Identification	InstrId	0..1	0..1	Additional Transaction Identification Removal of all content about UETR (see PmtId/UETR) and GPI (see SvcLvl/Cd) from generic definition, therefore also payment type-specific definition CSTPMT has been removed (adaption of CBPR+ usage). Payment types SEPPMT/SEPFCP: relevant parts of generic description moved from generic to payment type specific definition. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Message from RTGS system to participant: Contains the original transaction reference (content from <TxId>) of the SEPA payment. Only used for incoming payments from SECB and includes the original transaction reference for the sake of clarity. Message from participant to RTGS system: Must not be used. SEPFCP: Message from RTGS system to participant: Contains the original transaction reference (content from <TxId>) of the SEPA fee and/or compensation payment. Only used for incoming payments from SECB and includes the original transaction reference for the sake of clarity. Message from participant to RTGS system: Must not be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Payment Identification ++End To End Identification	EndToEndId	1..1	1..1	Debtor Reference The identification corresponds to the debtor's reference. The element contains NOTPROVIDED if there is no known identification. The identification is exchanged between the creditor and the debtor.	SEPFPCP: Identification of the <Resolved Case><Identification> element of "SEPA Investigation Resolution" (camt.029.001.08), from which the request for a fee and/or compensation payment originates. This identification comes from the originally established SEPA investigation, i.e. the <Case Identification> element of the "SEPA Missing Incoming Payment Query (camt.027)" or "SEPA Value Date Adjustment Request (camt.087)".
Credit Transfer Transaction Information +Payment Identification ++Transaction Identification	TxId	0..1	1..1	Transaction Identification Only the restricted character set for references (excluding spaces) is permitted for this element. Only 16 characters permitted, must contain a digit 0 - 9 or a letter a - z or A - Z in the first position. It is used together with <InstgAgt> for duplicate checking at transaction level and may only occur once within the permitted value dates. Permitted value dates are value date today and 2 days in the past. Note: For a payment to be processed successfully, no duplicates must be identifiable at either message level or transaction level. Schema 2019: Cardinality Change 1..1 -> 0..1 Cardinality Change 0..1 -> 1..1: <TxId> is kept as mandatory Transaction Identification for SIC/euroSIC. Term "SWIFT character set" replaced by generic term for restricted character set (only typo, no change of allowed characters).	SEPPMT: Message from RTGS system to participant: Contains a new transaction reference generated by SECB. The original SEPA payment transaction reference can be found in the <InstrId> element. SEPFPCP: Message from RTGS system to participant: Contains a new transaction reference generated by SECB. The original SEPA fee and/or compensation payment transaction reference can be found in the <InstrId> element.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Payment Identification ++UETR	UETR	0..1	1..1	Unique End-to-end Transaction Reference This identification contains a Universally Unique Identifier (UUID) according to RFC 4122 version 4. If the UETR was already contained in the underlying customer order or in a payment to be forwarded from other interbank networks, it should be forwarded unchanged. The UETR is only checked by the RTGS platform against the schema definition according to ISO 20022. Schema 2019: New Element Cardinality Change 0..1 -> 1..1: New element within CH market practice, former content of element <InstrId>. UETR is generally declared mandatory for all pacs.008 payment types in SIC/euroSIC. Generic CH definition has been added to explain format and usage. CR2022-SIC4-0009	
Credit Transfer Transaction Information +Payment Type Information	PmtTpInf	0..1	1..1	Payment Type Information Must be used.	
Credit Transfer Transaction Information +Payment Type Information ++Instruction Priority	InstrPrty	0..1	0..1	Instruction Priority Value HIGH can be used that the creditor agent is recommended to give it priority treatment. New element within CH market practice, cardinality change 0..0 -> 0..1 (adaption of CBPR+ usage). Code HIGH replaces former domestic usage of value URGP in element <SvcLvl><Cd>.	
Credit Transfer Transaction Information +Payment Type Information ++Service Level	SvcLvl	0..n	0..3	Service Level Schema 2019: Cardinality change: 0..1 -> 0..n Cardinality change: adapt CBPR+ usage 0..3 Payment Types SEPPMT/SEPPFC: Business Rule restriction added that element cannot be used more than once (as a consequence of cardinality change).	SEPPMT: Must be used. This element cannot be used more than once. SEPPFC: Must be used. This element cannot be used more than once.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Payment Type Information ++Service Level +++Code	Cd {Or	1..1	1..1	Service Level (code) Removal of obsolete generic definition (i.e. domestic usage of codes URGP). Payment Type CSTPMT: Replaced outdated business rule restriction "Only code URGP is permitted" by reference to possible usage of SWIFT gpi Service Type Identifier. Payment Types ESRDEB/IPIDEB: Business rule restriction "Only code URGP is permitted" is removed. Removal of payment type-specific definition ESRPMT. CR2022-SIC4-0012	CSTPMT: May be used to transfer a SWIFT gpi service type identifier (not verified by the RTGS platform). SEPPMT: Code SEPA is mandatory, other values are not permitted. SEPFCP: Code SEPA is mandatory, other values are not permitted.
Credit Transfer Transaction Information +Payment Type Information ++Service Level +++Proprietary	Prtry Or}	1..1	1..1	Service Level (proprietary) Adapt CBPR+ usage, i.e. removal of specific business rule restrictions within generic definition (i.e. reference to SWIFT MT Field 23B). Payment Types ESRDEB/IPIDEB: Business rule restriction "Must not be used" removed. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Payment Type Information ++Local Instrument	LclInstrm	0..1	1..1	Payment Type Must be used for indicating system-specific codes to unambiguously identify the payment type. Subelement <Cd> removed to replace former business rule restriction "Must not be used."	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Payment Type Information ++Local Instrument +++Proprietary	Prtry	1..1	1..1	Payment Type (proprietary) Unambiguous identification of the payment type, the following code values for payment types are available: ESRDEB = Payment resulting from a direct debit (LSV reference) IPIDEB = Payment resulting from a direct debit (IPI reference) SEPPMT = SEPA payment (EUR only) SEPFCP = SEPA fee and/or compensation payment (EUR only) CSTPMT = Generic customer payment Removal of payment type ESRPMT from generic definition. CR2022-SIC4-0012 Payment type description changed for ESRDEB/IPIDEB. CR2022-SIC4-0014	
Credit Transfer Transaction Information +Payment Type Information ++Category Purpose	CtgyPurp	0..1	0..1	Category Purpose	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPFCP: Must be used.
Credit Transfer Transaction Information +Payment Type Information ++Category Purpose +++Code	Cd {Or	1..1	1..1	Category Purpose (code) A salary, pension or bonus payment can be communicated to the beneficiary by assigning the appropriate purpose code (SALA, PENS or BONU).	SEPFCP: Must be used. Following ISO code values are valid: FCOL = fee INTE = interest FCIN = fee and interest
Credit Transfer Transaction Information +Payment Type Information ++Category Purpose +++Proprietary	Prtry Or}	1..1	1..1	Category Purpose (proprietary) Advice for identification of eBill payments moved from generic CH definition to payment type specific definition CSTPMT.	CSTPMT: For the identification of payments due to eBill the value EBIL has to be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Interbank Settlement Amount	IntrBkSttImAmt	1..1	1..1	Settlement Amount Must contain no more than 13 digits (excl. decimal separator), including a maximum of 2 fractional digits. Amount must be >0, the maximum accepted amount is 99,999,999,999.99. Removal of payment type-specific definition ESRPMT. CR2022-SIC4-0012	SEPPMT: Currency EUR: The maximum accepted amount is 999,999,999.99. SEPFCP: Currency EUR: The maximum accepted amount is 999,999,999.99. Corresponds to the amount of the fee and/or compensation in the «SEPA Investigation Resolution» (camt.029.001.08).

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
	@ Ccy			Currency Code The currency code must be CHF or EUR. The currency must correspond to the currency in the respective RTGS system.	SEPPMT: Only EUR permitted. SEPPCP: Only EUR permitted.
Credit Transfer Transaction Information +Interbank Settlement Date	IntrBkSttlmDt	0..1	1..1	Requested Settlement Date Will be forwarded unchanged to the instructed participant. Must be a valid calendar date. Must not be in the future. Must not be more than 90 calendar days in the past. Element moved from A-Level (GrpHdr) to B-Level (CdtTrfTxInf). Note: Usage remains unchanged.	
Credit Transfer Transaction Information +Settlement Priority	SttlmPrty	0..1	0..1	Settlement Priority The following 3 levels of priority may be used: NORM = Normal priority, lowest level HIGH = High priority, medium level URG = Urgent priority, highest level. If no priority is specified, normal priority applies.	
Credit Transfer Transaction Information +Settlement Time Indication	SttlmTmIndctn	0..1	0..1	Settlement Indication Used in messages from the RTGS system to the participant to state the effective settlement time and the value date when the payment was booked on the settlement account. May optionally be used in the message from the participant to the RTGS system to specify the earliest settlement time.	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Settlement Time Indication ++Debit Date Time	DbtDtTm	0..1	0..1	Earliest Settlement Time May be used by the debtor agent to specify the preferred settlement time. Must contain a valid calendar date and a valid time. If the specified time is before the time the message was received by SIC/euroSIC, it will be replaced by the reception time. The calendar date/time must be within the clearing day specified as the requested settlement date. The time must not be between clearing stop 1 and clearing stop 3 of the clearing day. Payments with an earliest settlement time are rejected if their value date would have to be adjusted because the requested settlement date cannot be fulfilled.	
Credit Transfer Transaction Information +Settlement Time Indication ++Credit Date Time	CdtDtTm	0..1	0..1	Credit Date Time Only used in messages from the RTGS system to the participant. The settlement date is always the SNB/SECB value date on which the payment will be booked on the settlement account. The settlement time is set after final settlement.	
Credit Transfer Transaction Information +Settlement Time Request	SttlmTmReq	0..1	0..1	Settlement Time Request The use of this element must be bilaterally agreed between the parties concerned (not verified by the RTGS platform). New optional element within CH market practice to adapt CBPR+ usage. CR2022-SIC4-0002	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFPCP: Must not be used.
Credit Transfer Transaction Information +Settlement Time Request ++CLSTime	CLSTm	0..1	0..1		
Credit Transfer Transaction Information +Settlement Time Request ++Till Time	TillTm	0..1	0..1		

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Settlement Time Request ++From Time	FrTm	0..1	0..1		
Credit Transfer Transaction Information +Settlement Time Request ++Reject Time	RjctTm	0..1	0..1		
Credit Transfer Transaction Information +Acceptance Date Time	AccptncDtTm	0..1	0..1	Start Time Must not be used within SIC/euroSIC (exclusively intended for future use in the context of instant payments). Cardinality change 0..0 -> 0..1: Element opened in preparation for future use, but not allowed for SIC/euroSIC.	
Credit Transfer Transaction Information +Instructed Amount	InstdAmt	0..1	0..1	Instructed Amount and Currency Instructed amount before the deduction of charges and/or conversion from a foreign currency incl. currency. Must contain no more than 14 digits (excl. decimal separator), including a maximum of 5 fractional digits. Mandatory if <ChrgsInf> is present. Business Rule "Mandatory if <ChrgsInf> is present" added to adapt corresponding ISO 20022 cross element rule.	SEPPMT: Must not be used. SEPFCP: Must not be used.
	@ Ccy			Currency Code Must contain a valid currency code according to ISO 4217.	
Credit Transfer Transaction Information +Exchange Rate	XchgRate	0..1	0..1	Exchange Rate Exchange rate (foreign currency to CHF or EUR) of the instructed amount in the <InstdAmt> element. Mandatory if <InstdAmt> is present and the currency in <InstdAmt/@Ccy> is different from that in <IntrBkSttlmAmt/@Ccy>. Not permitted if <InstdAmt> is not present. Not permitted if <InstdAmt> is present and the currency in <InstdAmt/@Ccy> is the same as that in <IntrBkSttlmAmt/@Ccy>.	SEPPMT: Must not be used. SEPFCP: Must not be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Charge Bearer	ChrgBr	1..1	1..1	Charge Bearer CRED = All charges are charged to the creditor DEBT = All charges are charged to the debtor; the creditor receives the full instructed amount SHAR = Charges of the debtor agent are charged to the debtor; all other charges are charged to the creditor SLEV = Service Level Agreement Note: If no explicit charge bearer is required, the code SHAR is regarded as the default value. Definition clean-up: a) Deletion of references to former FIN MT codes. b) Removal of redundant information within generic and payment type specific definitions. Removal of payment type-specific definition ESRPMT and reference to ESRPMT from generic definition. CR2022-SIC4-0012	SEPPMT: Charge bearer SLEV must be used, other codes not permitted. SEPPFCP: Charge bearer SLEV must be used, other codes not permitted. ESRDEB: Charge bearer SLEV not permitted. IPIDEB: Charge bearer SLEV not permitted. CSTPMT: SLEV must be used when bilaterally agreed charges will be applicable. SEPPMT: Charge bearer SLEV must be used, other codes not permitted. SEPPFCP: Charge bearer SLEV must be used, other codes not permitted. CSTPMT: SLEV must be used when bilaterally agreed charges will be applicable. IPIDEB: Charge bearer SLEV not permitted. ESRDEB: Charge bearer SLEV not permitted.
Credit Transfer Transaction Information +Charges Information	ChrgsInf	0..n	0..4	Charges Information If <ChrgBr> = CRED: Must be used at least once, may be used max. 4 times. If <ChrgBr> = DEBT: May be used max. once. If <ChrgBr> = SHAR: May be used max. 4 times. If <ChrgBr> = SLEV: May be used max. 4 times. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	CSTPMT: May be used together with SLEV to specify bilaterally agreed charges. SEPPMT: Must not be used. SEPPFCP: Must not be used.
Credit Transfer Transaction Information +Charges Information ++Amount	Amt	1..1	1..1	Charges Amount and Currency Must contain no more than 14 digits (excl. decimal separator), including a maximum of 5 fractional digits. If <ChrgBr> = DEBT: amount must be greater than 0,00.	
	@ Ccy			Currency Code If <ChrgBr> = DEBT: The currency code must be CHF or EUR and must correspond to the currency in the respective RTGS system.	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard			
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition	
Credit Transfer Transaction Information +Charges Information ++Agent	Agt	1..1	1..1	Charges Receiver For use of sub-elements see the following chapters: 3.4 "Identification of Financial Institutions (Agents)" 3.6 "Use of Address Information" Schema 2019: Pty -> Agt Former definition replaced by reference to descriptive chapter, therefore no more need to show sub-elements within table. Definition of possible code values for bilaterally agreed charges moved up from sub-element to payment type specific definition CSTPMT (no change of definition).	CSTPMT: If <ChrgBr> = SLEV: sub-element <FinInstnId><Nm> may be used to specify bilaterally agreed charge type information. Possible codes are: CDC (Charges for cash payments) RJC (Charges for a rejected payment) PPC (Post processing charges) FRC (Charges for complete data capturing of payment slip) DIV (Other bilaterally agreed charges) Field content not validated by the RTGS-Platform.	
Credit Transfer Transaction Information +Previous Instructing Agent 1	PrvsInstgAgt1	0..1	0..1	Previous Instructing Agent 1 For use of sub-elements see the following chapters: 3.4 "Identification of Financial Institutions (Agents)" 3.6 "Use of Address Information" Schema 2019: PrvsInstgAgt -> PrvsInstgAgt1 New element within CH market practice (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.	
Credit Transfer Transaction Information +Previous Instructing Agent 1 Account	PrvsInstgAgt1Acct	0..1	0..1	Previous Instructing Agent 1 Account May only be used if <PrvsInstgAgt1> is present. For use of sub-elements see chapter 3.7 "Use of Account Information". Schema 2019: PrvsInstgAgtAcct -> PrvsInstgAgt1Acct New element within CH market practice (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.	
Credit Transfer Transaction Information +Previous Instructing Agent 2	PrvsInstgAgt2	0..1	0..1	Previous Instructing Agent 2 May only be used if <PrvsInstgAgt1> is present. For use of sub-elements see the following chapters: 3.4 "Identification of Financial Institutions (Agents)" 3.6 "Use of Address Information" Schema 2019: New Element New element within CH market practice (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard			
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition	
Credit Transfer Transaction Information +Previous Instructing Agent 2Account	PrvsInstgAgt2Acct	0..1	0..1	Previous Instructing Agent 2 Account May only be used if <PrvsInstgAgt2> is present. For use of sub-elements see chapter 3.7 "Use of Account Information". Schema 2019: New Element New element within CH market practice (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.	
Credit Transfer Transaction Information +Previous Instructing Agent 3	PrvsInstgAgt3	0..1	0..1	Previous Instructing Agent 3 May only be used if <PrvsInstgAgt2> is present. For use of sub-elements see the following chapters: 3.4 "Identification of Financial Institutions (Agents)" 3.6 "Use of Address Information" Schema 2019: New Element New element within CH market practice (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.	
Credit Transfer Transaction Information +Previous Instructing Agent 3Account	PrvsInstgAgt3Acct	0..1	0..1	Previous Instructing Agent 3 Account May only be used if <PrvsInstgAgt3> is present. For use of sub-elements see chapter 3.7 "Use of Account Information". Schema 2019: New Element New element within CH market practice (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.	
Credit Transfer Transaction Information +Instructing Agent	InstgAgt	0..1	1..1	Instructing Participant Must be used. Is used together with <MsgId> / <TxId> for duplicate checking. For addressing the participant, either <BICFI> or <ClrSysMmbId> element must be used. The instructing participant has a settlement account in the RTGS system which is debited. Element moved from A-Level (GrpHdr) to B-Level (CdtTrfTxInf). Note: Usage (incl. sub-elements) remains unchanged.		
Credit Transfer Transaction Information +Instructing Agent ++Financial Institution Identification	FinInstnId	1..1	1..1	Financial Institution Identification		

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Instructing Agent ++Financial Institution Identification +++BICFI	BICFI	0..1	0..1	Identification of Instructing Participant (BIC) Only a valid published BIC (Business Identifier Code) is permitted. BICs for financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous alphanumeric characters. This element must not be used at the same time as <ClrSysMmbId>. Must contain a valid BIC of an active participant. Must not be concatenated. Schema 2019: BIC -> BICFI Definition of valid BICs revised for clarification and use of correct terms (only typo, no change of usage).	SEPPMT: Must be used. SEPFPCP: Must be used.
Credit Transfer Transaction Information +Instructing Agent ++Financial Institution Identification +++Clearing System Member Identification	ClrSysMmbId	0..1	0..1	Identification of Instructing Participant (proprietary) This element must not be used at the same time as <BICFI>. Must contain a valid identification of an active participant. Must not be concatenated.	SEPPMT: Must not be used. SEPFPCP: Must not be used.
Credit Transfer Transaction Information +Instructing Agent ++Financial Institution Identification +++Clearing System Member Identification ++++Clearing System Identification	ClrSysId	0..1	1..1	Clearing System Identification Must be used to unambiguously identify the address type. Subelement <Prtry> removed to adapt CBPR+ usage.	
Credit Transfer Transaction Information +Instructing Agent ++Financial Institution Identification +++Clearing System Member Identification ++++Clearing System Identification +++++Code	Cd	1..1	1..1	Clearing System Identification (code) Permitted ISO code value: CHSIC (SIC-IID (=6n)).	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Instructing Agent ++Financial Institution Identification +++Clearing System Member Identification ++++Member Identification	MmbId	1..1	1..1	Member Identification SIC IID (=6n), must be contained in the bank master data, active, and not concatenated.	
Credit Transfer Transaction Information +Instructed Agent	InstdAgt	0..1	1..1	Instructed Participant Must be used. For addressing the participant, either the <BICFI> or <ClrSysMmbId> element must be used. The instructed participant has a settlement account in the RTGS system which is credited. Element moved from A-Level (GrpHdr) to B-Level (CdtTrfTxInf). Note: Usage (incl. sub-elements) remains unchanged.	
Credit Transfer Transaction Information +Instructed Agent ++Financial Institution Identification	FinInstnId	1..1	1..1	Financial Institution Identification	
Credit Transfer Transaction Information +Instructed Agent ++Financial Institution Identification +++BICFI	BICFI	0..1	0..1	Identification of Instructed Participant (BIC) Only a valid published BIC (Business Identifier Code) is permitted. BICs for financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous alphanumeric characters. This element must not be used at the same time as <ClrSysMmbId>. Must contain a valid BIC of an active participant. Schema 2019: BIC -> BICFI Definition of valid BICs revised for clarification and use of correct terms (only typo, no change of usage).	SEPPMT: Must be used. Payments from the participant to euroSIC have to be addressed to SECB with BIC SECGDEFF. SEPFCP: Must be used. Payments from the participant to euroSIC have to be addressed to SECB with BIC SECGDEFF.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Instructed Agent ++Financial Institution Identification +++Clearing System Member Identification	ClrSysMmbId	0..1	0..1	Identification of Instructed Participant (proprietary) This element must not be used at the same time as <BICFI>. Must contain valid identification for an active participant.	SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Instructed Agent ++Financial Institution Identification +++Clearing System Member Identification ++++Clearing System Identification	ClrSysId	0..1	1..1	Clearing System Identification Must be used to unambiguously identify the address type. Subelement <Prtry> removed to adapt CBPR+ usage.	
Credit Transfer Transaction Information +Instructed Agent ++Financial Institution Identification +++Clearing System Member Identification ++++Clearing System Identification ++++Code	Cd	1..1	1..1	Clearing System Identification (code) Permitted ISO code value: CHSIC (SIC-IID (=6n)).	
Credit Transfer Transaction Information +Instructed Agent ++Financial Institution Identification +++Clearing System Member Identification ++++Member Identification	MmbId	1..1	1..1	Member Identification SIC IID (=6n), must be contained in the bank master data and active.	
Credit Transfer Transaction Information +Instructed Agent ++Financial Institution Identification +++Other	Othr	0..1	0..1		

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Instructed Agent ++Financial Institution Identification +++Other ++++Identification	Id	1..1	1..1	Assigned Identification of the Instructed Participant Message from RTGS system to participant: In case of a concatenated SIC IID or direct routing, the identification of the instructed participant will be assigned by the system and provided in this element. The type of addressing the concatenation destination will be done in the same way as it was provided by the sender (SIC IID or BIC). The direct forwarding destination will always be provided as a SIC IID, regardless of the type of addressing provided by the sender. Message from participant to RTGS system: Must not be used.	
Credit Transfer Transaction Information +Intermediary Agent 1	IntrmyAgt1	0..1	0..1	Intermediary Agent 1 For use of sub-elements see the following chapters: 3.4 "Identification of Financial Institutions (Agents)" 3.6 "Use of Address Information" Former definition replaced by reference to descriptive chapter, therefore no more need to show sub-elements within table. Additionally former business rule restriction "If present, <CdtrAgt> must not be identical with <InstAgt>." is removed (adaption of CBPR+ usage). Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Intermediary Agent 1Account	IntrmyAgt1Acct	0..1	0..1	Intermediary Agent 1 Account May only be used if <IntrmyAgt1> is present. For use of sub-elements see chapter 3.7 "Use of Account Information". Former definition replaced by reference to descriptive chapter, therefore no more need to show sub-elements within table. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard			
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition	
Credit Transfer Transaction Information +Intermediary Agent 2	IntrmyAgt2	0..1	0..1	Intermediary Agent 2 May only be used if <IntrmyAgt1> is present. For use of sub-elements see the following chapters: 3.4 "Identification of Financial Institutions (Agents)" 3.6 "Use of Address Information" New element within CH market practice (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.	
Credit Transfer Transaction Information +Intermediary Agent 2Account	IntrmyAgt2Acct	0..1	0..1	Intermediary Agent 2 Account May only be used if <IntrmyAgt2> is present. For use of sub-elements see chapter 3.7 "Use of Account Information". New element within CH market practice (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.	
Credit Transfer Transaction Information +Intermediary Agent 3	IntrmyAgt3	0..1	0..1	Intermediary Agent 3 May only be used if <IntrmyAgt2> is present. For use of sub-elements see the following chapters: 3.4 "Identification of Financial Institutions (Agents)" 3.6 "Use of Address Information" New element within CH market practice (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.	
Credit Transfer Transaction Information +Intermediary Agent 3Account	IntrmyAgt3Acct	0..1	0..1	Intermediary Agent 3 Account May only be used if <IntrmyAgt3> is present. For use of sub-elements see chapter 3.7 "Use of Account Information". New element within CH market practice (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.	
Credit Transfer Transaction Information +Ultimate Debtor	UltmtDbtr	0..1	0..1	Ultimate Debtor For use of sub-elements see chapter 3.5 "Identification of other parties (Parties)". Former definition replaced by reference to descriptive chapter.	SEPFCP: Must not be used.	
Credit Transfer Transaction Information +Ultimate Debtor ++Name	Nm	0..1	0..1	Name Business rule restriction max. 70 characters moved from generic CH definition to payment type specific definition SEPPMT.	SEPPMT: Maximum of 70 characters permitted.	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Ultimate Debtor ++Postal Address	PstlAdr	0..1	0..1	Postal Address May only be used if <Nm> is present. For use of sub-elements see chapter 3.6 "Use of Address Information". Former definition replaced by reference to descriptive chapter, therefore no more need to show sub-elements within table. Additionally business rule "May only be used if <Nm> is present." is added.	SEPPMT: Must not be used.
Credit Transfer Transaction Information +Ultimate Debtor ++Identification	Id	0..1	0..1	Identification	
Credit Transfer Transaction Information +Ultimate Debtor ++Identification +++Organisation Identification	OrgId {Or	1..1	1..1	Organisation Identification Business rule restriction "Only <BICOrBEI> or one element of <Othr> is permitted." moved from generic CH definition to payment type specific definition SEPPMT and element name changed to <AnyBIC> (adaption of CBPR+ usage).	SEPPMT: Only <AnyBIC> or one element of <Othr> is permitted.
Credit Transfer Transaction Information +Ultimate Debtor ++Identification +++Organisation Identification ++++Any BIC	AnyBIC	0..1	0..1	Any BIC (Business Identifier Code) Only a valid published BIC (Business Identifier Code) is permitted. BICs for financial or non-financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous alphanumeric characters. Schema 2019: BICOrBEI -> AnyBIC Definition of valid BICs revised for clarification and use of correct terms (only typo, no change of usage).	
Credit Transfer Transaction Information +Ultimate Debtor ++Identification +++Organisation Identification ++++LEI	LEI	0..1	0..1	LEI (Legal Entity Identification) Schema 2019: New Element New element within CH market practice (adaption of CBPR+ usage).	SEPPMT: Must not be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Ultimate Debtor ++Identification +++Organisation Identification ++++Other	Othr	0..n	0..2	Other Organisation Identification Cardinality change: adapt to CBPR+ usage 0..2 Payment type SEPPMT: restriction added because of cardinality change.	SEPPMT: Maximum of 1 variation permitted.
Credit Transfer Transaction Information +Ultimate Debtor ++Identification +++Private Identification	PrvtId Or}	1..1	1..1	Private Identification Business rule restriction "Only <DtAndPlcOfBirth> or one element from <Othr> are permitted." moved from generic CH definition to payment type specific definition SEPPMT (adaption of CBPR+ usage).	SEPPMT: Only <DtAndPlcOfBirth> or one element from <Othr> are permitted.
Credit Transfer Transaction Information +Ultimate Debtor ++Identification +++Private Identification ++++Date And Place Of Birth	DtAndPlcOfBirth	0..1	0..1	Date and Place of Birth	
Credit Transfer Transaction Information +Ultimate Debtor ++Identification +++Private Identification ++++Other	Othr	0..n	0..2	Other Private Identification Cardinality change: adapt to CBPR+ usage 0..2 Payment type SEPPMT: restriction added because of cardinality change.	SEPPMT: Maximum of 1 variation permitted.
Credit Transfer Transaction Information +Ultimate Debtor ++Country Of Residence	CtryOfRes	0..1	0..1	Country Of Residence New element within CH market practice (adaption of CBPR+ usage).	SEPPMT: Must not be used.
Credit Transfer Transaction Information +Initiating Party	InitgPty	0..1	0..1	Initiating Party For use of sub-elements see chapter 3.5 "Identification of other parties (Parties)". New element within CH market practice (adaption of CBPR+ usage).	SEPPMT: Must not be used. SEPPCP: Must not be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Initiating Party ++Name	Nm	0..1	0..1	Name	
Credit Transfer Transaction Information +Initiating Party ++Postal Address	PstlAdr	0..1	0..1	Postal Address May only be used if <Nm> is present. For use of sub-elements see chapter 3.6 "Use of Address Information".	
Credit Transfer Transaction Information +Initiating Party ++Identification	Id	0..1	0..1	Identification	
Credit Transfer Transaction Information +Initiating Party ++Country Of Residence	CtryOfRes	0..1	0..1	Country Of Residence	
Credit Transfer Transaction Information +Debtor	Dbtr	1..1	1..1	Debtor Is a customer of the debtor agent. For use of sub-elements see chapter 3.5 "Identification of other parties (Parties)". Former definition replaced by reference to descriptive chapter.	SEPPFCP: Information about the debtor agent (as with <DbtrAgt>, is not verified by the RTGS platform).
Credit Transfer Transaction Information +Debtor ++Name	Nm	0..1	0..1	Name Business rule restriction max. 70 characters moved from generic CH definition to payment type specific definition SEPPMT/SEPPFCP.	SEPPMT: Must be used. Maximum of 70 characters permitted. SEPPFCP: Must be used. Maximum of 70 characters permitted. Contains BIC of the debtor agent.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Debtor ++Postal Address	PstlAdr	0..1	0..1	Postal Address May only be used if <Nm> is present. For use of sub-elements see chapter 3.6 "Use of Address Information". Former definition replaced by reference to descriptive chapter, therefore no more need to show sub-elements within table. Additionally business rule "May only be used if <Nm> is present." is added. Payment Type SEPPMT: Restriction added that only unstructured address is allowed.	SEPPMT: Only variant "unstructured" according to chapter 3.6 permitted. Only mandatory when the Originator Bank or the Beneficiary Bank is located in a non-EEA SEPA country or territory.
Credit Transfer Transaction Information +Debtor ++Identification	Id	0..1	0..1	Identification	SEPPMT: Must be used.
Credit Transfer Transaction Information +Debtor ++Identification +++Organisation Identification	OrgId {Or	1..1	1..1	Organisation Identification Business rule restriction "Only <BICorBEI> or one element of <Othr> is permitted." moved from generic CH definition to payment type specific definition SEPPMT and element name changed to <AnyBIC>.	SEPPMT: Only <AnyBIC> or one element of <Othr> is permitted. SEPPMT: Must be used.
Credit Transfer Transaction Information +Debtor ++Identification +++Organisation Identification ++++Any BIC	AnyBIC	0..1	0..1	Any BIC (Business Identifier Code) Only a valid published BIC (Business Identifier Code) is permitted. BICs for financial or non-financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous alphanumeric characters. Schema 2019: BICorBEI -> AnyBIC Former generic business rule "If used, there must be no other sub-elements under <Dbtr>." deleted, therefore also SEPA exception rule becomes obsolete (clean-up of redundancies, rules for SEPA still have to be taken into account). Definition of valid BICs revised for clarification and use of correct terms (only typo, no change of usage).	SEPPMT: Must be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Debtor ++Identification +++Organisation Identification ++++LEI	LEI	0..1	0..1	LEI (Legal Entity Identification) Schema 2019: New Element New element within CH market practice (adaption of CBPR+ usage).	SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Debtor ++Identification +++Organisation Identification ++++Other	Othr	0..n	0..2	Other Organisation Identification Cardinality change: adapt to CBPR+ usage 0..2 Generic business rule restriction "May only be used if <Nm> is present." removed. Payment type SEPPMT: restriction added because of cardinality change.	SEPPMT: Maximum of 1 variation permitted. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Debtor ++Identification +++Private Identification	PrvtId Or}	1..1	1..1	Private Identification Generic business rule restriction "May only be used if <Nm> is present." removed.	SEPPMT: Only <DtAndPlcOfBirth> or one element from <Othr> are permitted. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Debtor ++Identification +++Private Identification ++++Date And Place Of Birth	DtAndPlcOfBirth	0..1	0..1	Date and Place of Birth	
Credit Transfer Transaction Information +Debtor ++Identification +++Private Identification ++++Other	Othr	0..n	0..2	Other Private Identification Cardinality change: adapt to CBPR+ usage 0..2 Generic definition with restriction of 4 occurrences deleted because of generic cardinality change.	SEPPMT: Maximum of 1 variation permitted.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Debtor ++Country Of Residence	CtryOfRes	0..1	0..1	Country Of Residence New element within CH market practice (adaption of CBPR+ usage).	SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Debtor Account	DbtrAcct	0..1	0..1	Debtor Account For use of sub-elements see chapter 3.7 "Use of Account Information". Former definition replaced by reference to descriptive chapter.	SEPPMT: Must be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Debtor Account ++Identification	Id	1..1	1..1	Account Identification	
Credit Transfer Transaction Information +Debtor Account ++Identification +++IBAN	IBAN {Or	1..1	1..1	IBAN Must contain a valid IBAN according to ISO 13616. The check digit (3rd and 4th position of the IBAN) must be in the range of 02 to 98. QR-IBAN not permitted.	SEPPMT: Must be used.
Credit Transfer Transaction Information +Debtor Account ++Identification +++Other	Othr Or}	1..1	1..1	Proprietary Account Format	SEPPMT: Must not be used.
Credit Transfer Transaction Information +Debtor Account ++Type	Tp	0..1	0..1	Type or purpose of the account New element within CH market practice, cardinality change 0..0 -> 0..1 (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Debtor Account ++Currency	Ccy	0..1	0..1	Account currency New element within CH market practice, cardinality change 0..0 -> 0..1 (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Debtor Account ++Name	Nm	0..1	0..1	Account name New element within CH market practice, cardinality change 0..0 -> 0..1 (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Debtor Account ++Proxy	Prxy	0..1	0..1	Alternative account identification Schema 2019: New Element New element within CH market practice (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Debtor Agent	DbtrAgt	1..1	1..1	Debtor Agent For use of sub-elements see chapter 3.4 "Identification of Financial Institutions (Agents)". Former definition replaced by reference to descriptive chapter. Payment type ESRDEB: Removal of restriction "Currency CHF: Must be identical with <InstgAgt>". Note: restriction was due to the former SIC legacy message format, which no longer exists.	SEPPMT: Must be a participant in the "SEPA Credit Transfer Scheme". SEPFCP: Must be a participant in the "SEPA Credit Transfer Scheme".
Credit Transfer Transaction Information +Debtor Agent ++Financial Institution Identification	FinInstnId	1..1	1..1	Financial Institution Identification	
Credit Transfer Transaction Information +Debtor Agent ++Financial Institution Identification +++BICFI	BICFI	0..1	0..1	Debtor Agent Identification (BIC) Only a valid published BIC (Business Identifier Code) is permitted. BICs for financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous alphanumeric characters. This element must not be used at the same time as <ClrSysMmbId>. Schema 2019: BIC -> BICFI Definition of valid BICs revised for clarification and use of correct terms (only typo, no change of usage).	SEPPMT: Must be used. SEPFCP: Must be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Debtor Agent ++Financial Institution Identification +++Clearing System Member Identification	ClrSysMmbId	0..1	0..1	Debtor Agent Identification (proprietary) This element must not be used at the same time as <BICFI>. Element name <BIC> replaced by <BICFI>.	SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Debtor Agent ++Financial Institution Identification +++Clearing System Member Identification ++++Clearing System Identification	ClrSysId	0..1	1..1	Clearing System Identification Must be used to unambiguously identify the address type. Subelement <Prtry> removed to adapt CBPR+ usage.	
Credit Transfer Transaction Information +Debtor Agent ++Financial Institution Identification +++Clearing System Member Identification ++++Clearing System Identification +++++Code	Cd	1..1	1..1	Clearing System Identification (code) Permitted ISO code values according to the External Code List.	
Credit Transfer Transaction Information +Debtor Agent ++Financial Institution Identification +++Clearing System Member Identification ++++Member Identification	MmbId	1..1	1..1	Member Identification	
Credit Transfer Transaction Information +Debtor Agent ++Financial Institution Identification +++LEI	LEI	0..1	0..1	Legal Entity Identifier (LEI) May be used only as a supplement to other sub-elements of <FinInstnId>. Schema 2019: New Element	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Debtor Agent ++Financial Institution Identification +++Name	Nm	0..1	0..1	Agent Name Rule "Must not be used together with <BIC>" removed.	SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Debtor Agent ++Financial Institution Identification +++Postal Address	PstlAdr	0..1	0..1	Agent Address Must be used if <Nm> is present. Must only be used in combination with <Nm>. For use of sub-elements see chapter 3.6 "Use of Address Information". Former definition of allowed usage has been changed. Additionally reference to descriptive chapter has been added.	SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Debtor Agent Account	DbtrAgtAcct	0..1	0..1	Debtor Agent Account For use of sub-elements see chapter 3.7 "Use of Account Information". Former definition replaced by reference to descriptive chapter, therefore no more need to show sub-elements within table. Additionally former restriction "May only be used if the instructing participant in the <InstgAgt> element does not correspond to the debtor agent in the <DbtrAgt> element." has been removed. Payment type ESRDEB: Removal of restriction "Currency CHF: Must not be used.". Note: restriction was due to the former SIC legacy message format, which no longer exists.	SEPPMT: Must not be used. SEPFCP: Must not be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Creditor Agent	CdtrAgt	1..1	1..1	Creditor Agent For use of sub-elements see chapter 3.4 "Identification of Financial Institutions (Agents)". Former definition replaced by reference to descriptive chapter. Payment types ESRDEB/IPIDEB: Removal of restriction "Must be identical with <InstdAgt>". Note: restriction was due to the former SIC legacy message format, which no longer exists. Removal of payment type-specific definition ESRPMT. CR2022-SIC4-0012 Removal of payment type-specific definition CSTPMT related to creditor account type "IS reference number" (PSREF). CR2022-SIC4-0012	SEPPMT: Must be a participant in the "SEPA Credit Transfer Scheme". SEPFCP: Must be a participant in the "SEPA Credit Transfer Scheme".
Credit Transfer Transaction Information +Creditor Agent ++Financial Institution Identification	FinInstnId	1..1	1..1	Financial Institution Identification	
Credit Transfer Transaction Information +Creditor Agent ++Financial Institution Identification +++BICFI	BICFI	0..1	0..1	Creditor Agent Identification (BIC) Only a valid published BIC (Business Identifier Code) is permitted. BICs for financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous alphanumeric characters. This element must not be used at the same time as <ClrSysMmbId>. Schema 2019: BIC -> BICFI Definition of valid BICs revised for clarification and use of correct terms (only typo, no change of usage).	SEPPMT: Must be used. SEPFCP: Must be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Creditor Agent ++Financial Institution Identification +++Clearing System Member Identification	ClrSysMmbId	0..1	0..1	Creditor Agent Identification (proprietary) This element must not be used at the same time as <BICFI>. Element name <BIC> replaced by <BICFI>.	SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Creditor Agent ++Financial Institution Identification +++Clearing System Member Identification ++++Clearing System Identification	ClrSysId	0..1	1..1	Clearing System Identification Must be used to unambiguously identify the address type. Subelement <Prtry> removed to adapt CBPR+ usage.	
Credit Transfer Transaction Information +Creditor Agent ++Financial Institution Identification +++Clearing System Member Identification ++++Clearing System Identification +++++Code	Cd	1..1	1..1	Clearing System Identification (code) Permitted ISO code values according to the External Code List.	
Credit Transfer Transaction Information +Creditor Agent ++Financial Institution Identification +++Clearing System Member Identification ++++Member Identification	MmbId	1..1	1..1	Member Identification	
Credit Transfer Transaction Information +Creditor Agent ++Financial Institution Identification +++LEI	LEI	0..1	0..1	Legal Entity Identifier (LEI) May be used only as a supplement to other sub-elements of <FinInstnId>. Schema 2019: New Element	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Creditor Agent ++Financial Institution Identification +++Name	Nm	0..1	0..1	Agent Name Rule "Must not be used together with <BIC>" removed. Payment types ESRDEB/IPIDEB: Removal of restriction "Must not be used.". Note: restriction was due to the former SIC legacy message format, which no longer exists. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Creditor Agent ++Financial Institution Identification +++Postal Address	PstlAdr	0..1	0..1	Agent Address Must be used if <Nm> is present. Must only be used in combination with <Nm>. For use of sub-elements see chapter 3.6 "Use of Address Information". Former definition of allowed usage has been changed. Additionally reference to descriptive chapter has been added. Payment types ESRDEB/IPIDEB: Removal of restriction "Must not be used.". Note: restriction was due to the former SIC legacy message format, which no longer exists. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Creditor Agent ++Branch Identification	BrnchId	0..1	0..1	Branch Identification This element is only intended for forwarding information from or to cross-system payments, it is not recommended to use it for intra-system payments (not validated by the RTGS platform). New element within CH market practice (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Creditor Agent ++Branch Identification +++Identification	Id	0..1	0..1	Identification New element within CH market practice (adaption of CBPR+ usage).	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Creditor Agent Account	CdtrAgtAcct	0..1	0..1	Creditor Agent Account For use of sub-elements see chapter 3.7 "Use of Account Information". Former definition replaced by reference to descriptive chapter. Additionally former business rule restriction "May only be used if the instructed participant in the <InstdAgt> element does not correspond to the creditor agent in the <CdtrAgt> element." has been removed. Payment types ESRDEB/IPIDEB: Removal of restriction "Must not be used.". Note: restriction was due to the former SIC legacy message format, which no longer exists. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012 Removal of payment type-specific definition CSTPMT related to creditor account type "IS reference number" (PSREF) CR2022-SIC4-0012	SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Creditor	Cdtr	1..1	1..1	Creditor Is a customer of the creditor agent. For use of sub-elements see chapter 3.5 "Identification of other parties (Parties)". Former definition replaced by reference to descriptive chapter.	SEPFCP: Information about the creditor agent (as with <CdtrAgt>, is not verified by the RTGS platform).
Credit Transfer Transaction Information +Creditor ++Name	Nm	0..1	0..1	Name Business rule restriction max. 70 characters moved from generic CH definition to payment type specific definition SEPPMT/SEPFCP. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	SEPPMT: Must be used. Maximum of 70 characters permitted. SEPFCP: Must be used. Maximum of 70 characters permitted. Contains BIC of the creditor agent.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Creditor ++Postal Address	PstlAdr	0..1	0..1	Postal Address May only be used if <Nm> is present. For use of sub-elements see chapter 3.6 "Use of Address Information". Former definition replaced by reference to descriptive chapter, therefore no more need to show sub-elements within table. Additionally business rule "May only be used if <Nm> is present." is added. Payment Type SEPPMT: Restriction added that only unstructured address is allowed.	SEPPMT: Only variant "unstructured" according to chapter 3.6 permitted. SEPPFCP: Must not be used.
Credit Transfer Transaction Information +Creditor ++Identification	Id	0..1	0..1	Identification	SEPPFCP: Must be used.
Credit Transfer Transaction Information +Creditor ++Identification +++Organisation Identification	OrgId {Or	1..1	1..1	Organisation Identification Business rule restriction "Only <BICOrBEI> or one element of <Othr> is permitted." moved from generic CH definition to payment type specific definition SEPPMT and element name changed to <AnyBIC>.	SEPPMT: Only <AnyBIC> or one element of <Othr> is permitted. SEPPFCP: Must be used.
Credit Transfer Transaction Information +Creditor ++Identification +++Organisation Identification ++++Any BIC	AnyBIC	0..1	0..1	Any BIC (Business Identifier Code) Only a valid published BIC (Business Identifier Code) is permitted. BICs for financial or non-financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous alphanumeric characters. Schema 2019: BICOrBEI -> AnyBIC Definition of valid BICs revised for clarification and use of correct terms (only typo, no change of usage).	SEPPFCP: Must be used.
Credit Transfer Transaction Information +Creditor ++Identification +++Organisation Identification ++++LEI	LEI	0..1	0..1	LEI (Legal Entity Identification) Schema 2019: New Element New element within CH market practice (adaption of CBPR+ usage).	SEPPMT: Must not be used. SEPPFCP: Must not be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Creditor ++Identification +++Organisation Identification ++++Other	Othr	0..n	0..2	Other Organisation Identification Cardinality change: adapt to CBPR+ usage 0..2 Generic business rule restriction "May only be used if <Nm> is present." removed. Payment type SEPPMT: business rule restriction added because of cardinality change.	SEPPMT: Maximum of 1 variation permitted. SEPPFCP: Must not be used.
Credit Transfer Transaction Information +Creditor ++Identification +++Private Identification	PrvtId Or}	1..1	1..1	Private Identification Generic business rule restriction "May only be used if <Nm> is present." removed. Business rule restriction "Only <DtAndPlcOfBirth> or one element from <Othr> are permitted." moved from generic CH definition to payment type specific definition SEPPMT.	SEPPMT: Only <DtAndPlcOfBirth> or one element from <Othr> are permitted. SEPPFCP: Must not be used.
Credit Transfer Transaction Information +Creditor ++Identification +++Private Identification ++++Date And Place Of Birth	DtAndPlcOfBirth	0..1	0..1	Date and Place of Birth	
Credit Transfer Transaction Information +Creditor ++Identification +++Private Identification ++++Other	Othr	0..n	0..2	Other Private Identification Cardinality change: adapt to CBPR+ usage 0..2 Payment type SEPPMT: business rule restriction added because of cardinality change.	SEPPMT: Maximum of 1 variation permitted.
Credit Transfer Transaction Information +Creditor ++Country Of Residence	CtryOfRes	0..1	0..1	Country Of Residence New element within CH market practice (adaption of CBPR+ usage).	SEPPMT: Must not be used. SEPPFCP: Must not be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Creditor Account	CdtrAcct	0..1	0..1	Creditor Account For use of sub-elements see chapter 3.7 "Use of Account Information". Former definition replaced by reference to descriptive chapter. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	ESRDEB: Must be used. IPIDEB: Must be used. SEPPMT: Must be used. SEPFCP: Must be used. Contains the account at the creditor agent to which the payment must be made, as indicated by the «SEPA Investigation Resolution» (camt.029.001.08), either for compensation (IBAN of the <Compensation><Creditor Agent><Financial Institution Identification><Other><Identification> element), or for a fee (IBAN of the <Charges><Agent><Financial Institution Identification><Other><Identification> element).
Credit Transfer Transaction Information +Creditor Account ++Identification	Id	1..1	1..1	Account Identification	
Credit Transfer Transaction Information +Creditor Account ++Identification +++IBAN	IBAN {Or	1..1	1..1	IBAN Must contain a valid IBAN according to ISO 13616. The check digit (3rd and 4th position of the IBAN) must be in the range of 02 to 98. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	CSTPMT: Must contain the QR-IBAN for payments with a structured QR payment reference. ESRDEB: Must not be used. IPIDEB: Must be used. SEPPMT: Must be used. SEPFCP: Must be used.
Credit Transfer Transaction Information +Creditor Account ++Identification +++Other	Othr Or}	1..1	1..1	Proprietary Account Format Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	ESRDEB: Must be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Creditor Account ++Identification +++Other ++++Identification	Id	1..1	1..1	Account (proprietary) Removal of code PRTRY (conventional format) from generic definition Code PCACC moved from generic definition to payment type specific definition CSTPMT, added note that format requirements will only be checked if (optional) code is used. Removal of code PSREF (IS reference number) from generic definition CR2022-SIC4-0012 Code ESRPT moved from generic definition to payment type specific definition ESRDEB, term "ISR participation number" changed to "LSV participation number". CR2022-SIC4-0014 Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	CSTPMT: The Postal account number is checked according to the following requirements if the code PCACC is used in <SchmeNm><Prtry>: - Mandatory 9-digit numerical value (no hyphens), constructed as follows: VV999999P - VV = Leading characters, any value in the range 00 to 99 - 999999 = Ordinal number: If < 6-digits, left-padded with zeros, but must be >000000 - P = Check digit according to Modulo 10, recursive ESRDEB: Only LSV participation number permitted. This number is checked on the basis of the code ESRPT in <SchmeNm><Prtry> and must comply with the following requirements: - Mandatory 9-digit numerical value (no hyphens), constructed as follows: VV999999P - VV = Leading characters, any value in the range 00 to 99 - 999999 = Ordinal number: If < 6-digits, left-padded with zeros, but must be >000000 - P = Check digit according to Modulo 10, recursive
Credit Transfer Transaction Information +Creditor Account ++Identification +++Other ++++Scheme Name	SchmeNm	0..1	0..1	Account Type Cardinality change 1..1 -> 0..1: To adapt CBPR+ use, former generic business rule for mandatory usage has been moved from generic definition to payment type specific definition ESRDEB.	ESRDEB: Must be used.
Credit Transfer Transaction Information +Creditor Account ++Identification +++Other ++++Scheme Name +++++Code	Cd {Or	1..1	1..1	Account Type (code) To adapt CBPR+ use, former generic business rule that this element must not be used has been moved from generic definition to payment type specific definition ESRDEB.	ESRDEB: Must not be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard			
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition	
Credit Transfer Transaction Information +Creditor Account ++Identification +++Other ++++Scheme Name +++++Proprietary	Prtry Or}	1..1	1..1	Account Type (proprietary) Removal of code PRTRY (conventional format) from generic definition Code PCACC moved from generic definition to payment type specific definition CSTPMT. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012 Removal of code PSREF (IS reference number) from generic definition CR2022-SIC4-0012 Code ESRPT moved from generic definition to payment type specific definition ESRDEB, term "ISR participation number" changed to "LSV participation number" and added note that usage is mandatory. CR2022-SIC4-0014	CSTPMT: The code value PCACC can be used to specify a postal account number. ESRDEB: The following code value must be used: ESRPT = LSV participation number	
Credit Transfer Transaction Information +Creditor Account ++Identification +++Other ++++Issuer	Issr	0..1	0..1	Account Issuer New element within CH market practice, cardinality change 0..0 -> 0..1 (adaption of CBPR+ usage).	ESRDEB: Must not be used.	
Credit Transfer Transaction Information +Creditor Account ++Type	Tp	0..1	0..1	Type or purpose of the account New element within CH market practice, cardinality change 0..0 -> 0..1 (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.	
Credit Transfer Transaction Information +Creditor Account ++Currency	Ccy	0..1	0..1	Account currency New element within CH market practice, cardinality change 0..0 -> 0..1 (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.	
Credit Transfer Transaction Information +Creditor Account ++Name	Nm	0..1	0..1	Account name New element within CH market practice, cardinality change 0..0 -> 0..1 (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Creditor Account ++Proxy	Prxy	0..1	0..1	Alternative account identification Schema 2019: New Element New element within CH market practice (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Ultimate Creditor	UltmtCdtr	0..1	0..1	Ultimate Creditor For use of sub-elements see chapter 3.5 "Identification of other parties (Parties)". Former definition replaced by reference to descriptive chapter.	SEPFCP: Must not be used.
Credit Transfer Transaction Information +Ultimate Creditor ++Name	Nm	0..1	0..1	Name Business rule restriction max. 70 characters moved from generic CH definition to payment type specific definition SEPPMT.	SEPPMT: Maximum of 70 characters permitted.
Credit Transfer Transaction Information +Ultimate Creditor ++Postal Address	PstlAdr	0..1	0..1	Postal Address May only be used if <Nm> is present. For use of sub-elements see chapter 3.6 "Use of Address Information". Former definition replaced by reference to descriptive chapter, therefore no more need to show sub-elements within table. Additionally business rule "May only be used if <Nm> is present." is added.	SEPPMT: Must not be used.
Credit Transfer Transaction Information +Ultimate Creditor ++Identification	Id	0..1	0..1	Identification	
Credit Transfer Transaction Information +Ultimate Creditor ++Identification +++Organisation Identification	OrgId {Or	1..1	1..1	Organisation Identification Business rule restriction "Only <BICOrBEI> or one element of <Othr> is permitted." moved from generic CH definition to payment type specific definition SEPPMT and element name changed to <AnyBIC> (adaption of CBPR+ usage).	SEPPMT: Only <AnyBIC> or one element of <Othr> is permitted.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Ultimate Creditor ++Identification +++Organisation Identification ++++Any BIC	AnyBIC	0..1	0..1	Any BIC (Business Identifier Code) Only a valid published BIC (Business Identifier Code) is permitted. BICs for financial or non-financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous alphanumeric characters. Schema 2019: BICOrBEI -> AnyBIC Definition of valid BICs revised for clarification and use of correct terms (only typo, no change of usage).	
Credit Transfer Transaction Information +Ultimate Creditor ++Identification +++Organisation Identification ++++LEI	LEI	0..1	0..1	LEI (Legal Entity Identification) Schema 2019: New Element New element within CH market practice (adaption of CBPR+ usage).	SEPPMT: Must not be used.
Credit Transfer Transaction Information +Ultimate Creditor ++Identification +++Organisation Identification ++++Other	Othr	0..n	0..2	Other Organisation Identification Cardinality change: adapt to CBPR+ usage 0..2 Payment type SEPPMT: business rule restriction added because of cardinality change.	SEPPMT: Maximum of 1 variation permitted.
Credit Transfer Transaction Information +Ultimate Creditor ++Identification +++Private Identification	PrvtId Or}	1..1	1..1	Private Identification Business rule restriction "Only <DtAndPlcOfBirth> or one element from <Othr> are permitted." moved from generic CH definition to payment type specific definition SEPPMT (adaption of CBPR+ usage).	SEPPMT: Only <DtAndPlcOfBirth> or one element from <Othr> are permitted.
Credit Transfer Transaction Information +Ultimate Creditor ++Identification +++Private Identification ++++Date And Place Of Birth	DtAndPlcOfBirth	0..1	0..1	Date and Place of Birth	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Ultimate Creditor ++Identification +++Private Identification ++++Other	Othr	0..n	0..2	Other Private Identification Cardinality change: adapt to CBPR+ usage 0..2 Payment type SEPPMT: business rule restriction added because of cardinality change.	SEPPMT: Maximum of 1 variation permitted.
Credit Transfer Transaction Information +Ultimate Creditor ++Country Of Residence	CtryOfRes	0..1	0..1	Country Of Residence New element within CH market practice (adaption of CBPR+ usage).	SEPPMT: Must not be used.
Credit Transfer Transaction Information +Instruction For Creditor Agent	InstrForCdtrAgt	0..n	0..2	Instruction For Creditor Agent Element is used for giving instructions to the creditor agent or instructed participant, either in structured or unstructured form. Cardinality change 0..n -> 0..2: former generic business rule restrictions removed (i.e. reference to SWIFT MT Fields 23E / 72) and replaced by schema restriction and generic definition to adapt common international practice. Note: It was deliberately avoided to keep or issue additional business rules at sub-element level. Based on review of known international market practices (CBPR+, TARGET2, HVPS+), no uniform handling can be derived here. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPPFCP: Must not be used.
Credit Transfer Transaction Information +Instruction For Creditor Agent ++Code	Cd	0..1	0..1	Instruction Code	
Credit Transfer Transaction Information +Instruction For Creditor Agent ++Instruction Information	InstrInf	0..1	0..1	Instruction for Creditor Agent (text)	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Instruction For Next Agent	InstrForNxtAgt	0..n	0..n	Processing Instruction Element is used for sending system-specific instructions from the instructing participant to the RTGS system. The element can be used maximum twice in SIC, maximum 3 times in euroSIC. Only one instruction may be present in each variation. The same instructions must not be provided more than once. ERRATA: Generic former business rule restriction of a maximum of 2 occurrences has been corrected to individual system specific restriction of maximum 2 occurrences in SIC and 3 occurrences in euroSIC (correction of inconsistent documentation, no change of usage).	
Credit Transfer Transaction Information +Instruction For Next Agent ++Code	Cd	0..1	0..1	Processing Instruction (code) Element must not be used.	
Credit Transfer Transaction Information +Instruction For Next Agent ++Instruction Information	InstrInf	0..1	0..1	Processing Instruction (text) The following values are permitted for processing instructions in the RTGS system: CONF = Settlement confirmation request. After settlement of the payment a settlement confirmation will be issued to the participant being debited. LIQU = Request to use reserved liquidity. Liquidity reserved by the participant being debited is claimed for this payment.	CSTPMT: For payments in EUR the following additional code is permitted: NODR = Override the default routing SEPA.
Credit Transfer Transaction Information +Purpose	Purp	0..1	0..1	Transaction Purpose May be used to provide additional information about the purpose of the transaction. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Purpose ++Code	Cd {Or	1..1	1..1	Transaction Purpose (code)	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Purpose ++Proprietary	Prtry Or}	1..1	1..1	Transaction Purpose (proprietary)	SEPPMT: Must not be used.
Credit Transfer Transaction Information +Regulatory Reporting	RgltryRptg	0..10	0..10	Regulatory Reporting This element cannot be used more than once. Cardinality change 0..1 -> 0..10: former schema definition replaced by new business rule to adapt SPS 2022 usage. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Regulatory Reporting ++Debit Credit Reporting Indicator	DbtCdtRptgInd	0..1	0..1	Debit Credit Reporting Indicator New element within CH market practice, cardinality change 0..0 -> 0..1 (adaption of CBPR+ usage).	
Credit Transfer Transaction Information +Regulatory Reporting ++Authority	Authrty	0..1	0..1	Authority New element within CH market practice, cardinality change 0..0 -> 0..1 (adaption of CBPR+ usage).	
Credit Transfer Transaction Information +Regulatory Reporting ++Details	Dtls	0..n	0..n	Details on the regulatory reporting information This element cannot be used more than once. Cardinality change 1..1 -> 0..n: former schema definition replaced by new business rule to adapt SPS 2022 usage. CR2022-SIC4-0012	
Credit Transfer Transaction Information +Regulatory Reporting ++Details +++Type	Tp	0..1	0..1	Type New element within CH market practice, cardinality change 0..0 -> 0..1 (adaption of CBPR+ usage).	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Regulatory Reporting ++Details +++Date	Dt	0..1	0..1	Date New element within CH market practice, cardinality change 0..0 -> 0..1 (adaption of CBPR+ usage).	
Credit Transfer Transaction Information +Regulatory Reporting ++Details +++Country	Ctry	0..1	0..1	Country New element within CH market practice, cardinality change 0..0 -> 0..1 (adaption of CBPR+ usage).	
Credit Transfer Transaction Information +Regulatory Reporting ++Details +++Code	Cd	0..1	0..1	Code New element within CH market practice, cardinality change 0..0 -> 0..1 (adaption of CBPR+ usage).	
Credit Transfer Transaction Information +Regulatory Reporting ++Details +++Amount	Amt	0..1	0..1	Amount New element within CH market practice, cardinality change 0..0 -> 0..1 (adaption of CBPR+ usage).	
	@ Ccy			Currency Code	
Credit Transfer Transaction Information +Regulatory Reporting ++Details +++Information	Inf	0..n	0..n	Information Maximum of 3 lines permitted. Cardinality change 1..3 -> 0..n: former schema definition replaced by new business rule to adapt SPS 2022 usage.	
Credit Transfer Transaction Information +Related Remittance Information	RltdRmtInf	0..10	0..1	Related Remittance Information Must not be used together with element <RmtInf>. New element within CH market practice, cardinality change 0..0 -> 0..1 (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Remittance Information	RmtInf	0..1	0..1	Remittance Information This information must be forwarded to the creditor and may be present in either unstructured (<Ustrd>) or structured (<Strd>) format. Must not be used together with element <RltdRmtInf>. Business rule added that this element must not be used together with <RltdRmtInf>. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	CSTPMT: Must be present if a QR-IBAN is used in the <CdtrAcct><Id><IBAN> element. ESRDEB: Must be used. IPIDEB: Must be used. SEPFCP: Must be used. Contains the identification of the «SEPA Investigation Resolution» (camt.029.001.08), from which the request for either the compensation or fee payment originates.
Credit Transfer Transaction Information +Remittance Information ++Unstructured	Ustrd	0..n	0..1	Remittance Information Unstructured May only be used if no structured information is present. Cardinality change: 0..2 -> 0..1, therefore business rule "The element must not be used more than once." has been removed. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	CSTPMT: Must not be present if a QR-IBAN is used in the <CdtrAcct><Id><IBAN> element. ESRDEB: Must not be used. IPIDEB: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Remittance Information ++Structured	Strd	0..n	0..n	Remittance Information Structured Only one occurrence is allowed. May only be used if no unstructured information is present. The number of all characters supplied within the <Strd> element must not exceed 9000 characters (excluding sub-element tags). Cardinality change 0..1 -> 0..n: former schema definition replaced by new business rule to adapt SPS 2022 usage. New generic CH definition added that total business data (excluding tags) must not exceed 9000 characters. This business rule restriction also replaces former specific maximum occurrence restriction on sub element level which will be set to unbounded occurrence from native ISO 20022 definition. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	CSTPMT: Must be present if a QR-IBAN is used in the <CdtrAcct><Id><IBAN> element. ESRDEB: Must be present. IPIDEB: Must be present. SEPFCP: Must be present.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Remittance Information ++Structured +++Referred Document Information	RfrdDocInf	0..n	0..n	Referred Document Information Allow free usage for payment type CSTEPMT and adapt to CBPR+, therefore former generic CH definition (requested processing date / LSV-ID) moved to payment type specific definition ESRDEB/IPIDEB. Cardinality change 0..1 -> 0..n, former schema definition replaced by new business rule for payment types ESRDEB/IPIDEB. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	ESRDEB: Must be present and must not be used more than once. Contains the requested processing date and the LSV-ID for the original direct debit. IPIDEB: Must be present and must not be used more than once. Contains the requested processing date and the LSV-ID for the original direct debit. SEPPMT: Must not be used. SEPPCP: Must not be used.
Credit Transfer Transaction Information +Remittance Information ++Structured +++Referred Document Information ++++Type	Tp	0..1	0..1	Type Cardinality change 1..1 -> 0..1, former schema definition replaced by new business rule "Must be present." for payment types ESRDEB/IPIDEB.	ESRDEB: Must be present. IPIDEB: Must be present.
Credit Transfer Transaction Information +Remittance Information ++Structured +++Referred Document Information ++++Type +++++Code Or Proprietary	CdOrPrtry	1..1	1..1		
Credit Transfer Transaction Information +Remittance Information ++Structured +++Referred Document Information ++++Type +++++Code Or Proprietary +++++Code	Cd {Or	1..1	1..1	Type (code) Allow free usage for payment type CSTEPMT and adapt to CBPR+, therefore former generic CH definition "Must not be used" moved to payment type specific definition ESRDEB/IPIDEB. Additionally generic element naming has been added.	ESRDEB: Must not be used. IPIDEB: Must not be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Remittance Information ++Structured +++Referred Document Information ++++Type +++++Code Or Proprietary ++++++Proprietary	Prtry Or}	1..1	1..1	Type (proprietary) Allow free usage for payment type CSTPMT and adapt to CBPR+, therefore a) former generic CH definition (= code restriction LSVBDD) moved to payment type specific defintion ESRDEB/IPIDEB and b) payment type specific defintion "Must be used" added for payment types ESRDEB/IPIDEB.	ESRDEB: Must be used. Permitted code value: LSVBDD IPIDEB: Must be used. Permitted code value: LSVBDD
Credit Transfer Transaction Information +Remittance Information ++Structured +++Referred Document Information ++++Type +++++Issuer	Issr	0..1	0..1	Issuer New element within CH market practice, cardinality change 0..0 -> 0..1 (adaption of CBPR+ usage). Payment types ESRDEB/IPIDEB: Business rule restriction "Must not be used" added.	ESRDEB: Must not be used. IPIDEB: Must not be used.
Credit Transfer Transaction Information +Remittance Information ++Structured +++Referred Document Information ++++Number	Nb	0..1	0..1	Number Cardinality change 1..1 -> 0..1, former schema definition replaced by new business rule "Must be present." for payment types ESRDEB/IPIDEB. Additionally former generic definition (= LSV identification) moved to payment type specific defintion ESRDEB/IPIDEB.	ESRDEB: LSV identification of the original direct debit. Must be used. IPIDEB: LSV identification of the original direct debit. Must be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Remittance Information ++Structured +++Referred Document Information ++++Related Date	RltdDt	0..1	0..1	Related Date Cardinality change 1..1 -> 0..1, former schema definition replaced by new business rule "Must be present." for payment types ESRDEB/IPIDEB. Additionally former generic definition (= requested processing date) moved to payment type specific definition ESRDEB/IPIDEB.	ESRDEB: Must be used and contain the requested processing date of the original direct debit order or the processing date assigned by the LSV system in case of value date adjustment. If the provided date is more than two banking business days older than the date determined by the RTGS system the payment will be rejected. IPIDEB: Must be used and contain the requested processing date of the original direct debit order or the processing date assigned by the LSV system in case of value date adjustment. If the provided date is more than two banking business days older than the date determined by the RTGS system the payment will be rejected.
Credit Transfer Transaction Information +Remittance Information ++Structured +++Referred Document Information ++++Line Details	LineDtls	0..n	0..n	Line Details Schema 2019: New Element New element within CH market practice (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used.
Credit Transfer Transaction Information +Remittance Information ++Structured +++Referred Document Amount	RfrdDocAmt	0..1	0..1	Referred Document Amount Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.
Credit Transfer Transaction Information +Remittance Information ++Structured +++Creditor Reference Information	CdtrRefInf	0..1	0..1	Creditor Reference Information Payment type SEPPMT: Business rule "Must be present if <RmtInf><Strd> was used." added (only for clarification purpose). Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	CSTPMT: Must be used if the QR-IBAN is used in the <CdtrAcct><Id><IBAN> element. ESRDEB: Must be used. IPIDEB: Must be used. SEPPMT: Must be present if <RmtInf><Strd> was used. SEPFCP: Must be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Remittance Information ++Structured +++Creditor Reference Information ++++Type	Tp	0..1	0..1	Reference Type Cardinality change 1..1 -> 0..1: allow free usage for payment type CSTEPMT (adapt to CBPR+, but QRR-related business rule restrictions have been retained), therefore payment type specific definition "Must be used" added for payment types ESRDEB/IPIDEB/SEPMT/SEPCP.	CSTEPMT: Must be used if the QR-IBAN is used in the <CdtrAcct><Id><IBAN> element. ESRDEB: Must be used. IPIDEB: Must be used. SEPMT: Must be present if <RmtInf><Strd> was used. SEPCP: Must be used.
Credit Transfer Transaction Information +Remittance Information ++Structured +++Creditor Reference Information ++++Type +++++Code Or Proprietary	CdOrPrtry	1..1	1..1		
Credit Transfer Transaction Information +Remittance Information ++Structured +++Creditor Reference Information ++++Type +++++Code Or Proprietary +++++Code	Cd {Or	1..1	1..1	Reference Type (code) The value SCOR can be used to specify a structured customer reference for the creditor. Generic definition and payment type specific definition CSTEPMT changed to allow free usage (adapt to CBPR+). Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	CSTEPMT: Must not be present if a QR-IBAN is used in the <CdtrAcct><Id><IBAN> element. ESRDEB: Must not be used. IPIDEB: Must not be used. SEPMT: Must be present if <RmtInf><Strd> was used. Only value SCOR is permitted. SEPCP: Must be present. Only value SCOR is permitted.
Credit Transfer Transaction Information +Remittance Information ++Structured +++Creditor Reference Information ++++Type +++++Code Or Proprietary +++++Proprietary	Prtry Or}	1..1	1..1	Reference Type (proprietary) Payment type specific definition CSTEPMT changed to allow free usage (adapt to CBPR+, QRR-related business rule restrictions have been retained). Definition of values ESR/IPI changed and moved from generic definition to payment type specific definition ESRDEB/IPIDEB. CR2022-SIC4-0014 Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	CSTEPMT: - Must contain QRR (= QR reference) if a QR-IBAN is used in the <CdtrAcct><Id><IBAN> element. - Must be used if structured details of payment from the QR bill were used. Only value QRR is permitted. ESRDEB: The value ESR (LSV reference) must be used. IPIDEB: The value IPI (= IPI reference) must be used. SEPMT: Must not be used. SEPCP: Must not be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Remittance Information ++Structured +++Creditor Reference Information ++++Type +++++Issuer	Issr	0..1	0..1	Issuer of the Creditor Reference Payment Type CSTPMT: Removal of business rule restriction to allow free usage (adapt to CBPR+). Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	ESRDEB: Must not be used. IPIDEB: Must not be used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Remittance Information ++Structured +++Creditor Reference Information ++++Reference	Ref	0..1	1..1	Creditor Reference If value SCOR is used in the element <Tp><CdOrPrtry><Cd> to specify a structured customer reference for the creditor, an ISO Creditor Reference according to ISO 11649 may be used. This reference must contain the value RF in pos. 1-2 and a correct check digit pair in pos. 3-4 and the total length must not exceed 25 characters. It is advised to not left-pad the reference with zeros. The ISO Creditor Reference will not be validated by the RTGS-Platform. Generic and payment type specific definition CSTEPMT had to be adapted to the fact that a) sub-element <Tp> is no longer mandatory and b) usage for CSTEPMT has been adapted to CPBR+ to allow usage without restriction (Exception: QRR-related business rule restrictions have been retained). Definition of "LSV reference" and "IPI reference" changed and moved from generic definition to payment type specific definition ESRDEB/IPIDEB. CR2022-SIC4-0014 Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	CSTEPMT: Must contain a QR reference (code QRR) if a QR-IBAN is used in the <CdtrAcct><Id><IBAN> element. The QR reference must comply with the following requirements: - Mandatory 27-digit numerical value, no spaces permitted. - Must be >0 if <InstgAgt> and <DbtrAgt> are identical. - Check digit in the last position according to Modulo 10, recursive. ESRDEB: Must contain LSV reference (Code ESR) complying with the following requirements: - Mandatory 27-digit numerical value, no spaces permitted. - If the reference number is < 27 digits, it must be left-padded with zeros. - Must be >0. - Check digit in the last position according to Modulo 10, recursive IPIDEB: Must contain IPI (Code IPI) reference complying with the following requirements: - Mandatory 20-digit value. - Must contain a correct check digit pair in positions 1 – 2. SEPPMT: Must be present, if <RmtInf><Strd> is used. SEPFCP: Must contain identification from the <Modification Details><Modification Status Identification> element of the «SEPA Investigation Resolution» (camt.029.001.08).

ISO 20022 Standard			Swiss ISO 20022 Payments Standard			
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition	
Credit Transfer Transaction Information +Remittance Information ++Structured +++Invoicer	Invcr	0..1	0..1	Invoicer For use of sub-elements see the following chapters: 3.5 "Identification of other parties (Parties)" 3.6 "Use of Address Information" Former definition replaced by reference to descriptive chapter. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.	
Credit Transfer Transaction Information +Remittance Information ++Structured +++Invoicee	Invcee	0..1	0..1	Invoicee For use of sub-elements see the following chapters: 3.5 "Identification of other parties (Parties)" 3.6 "Use of Address Information" Former definition replaced by reference to descriptive chapter. Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.	
Credit Transfer Transaction Information +Remittance Information ++Structured +++Tax Remittance	TaxRmt	0..1	0..1	Information for tax-related purposes Schema 2019: New Element New element within CH market practice (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.	
Credit Transfer Transaction Information +Remittance Information ++Structured +++Garnishment Remittance	GrnshmtRmt	0..1	0..1	Information for garnishment-related purposes Schema 2019: New Element New element within CH market practice (adaption of CBPR+ usage).	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard		
Message Item	XML Tag	Mult	Mult	Definition	Payment Type-specific Definition
Credit Transfer Transaction Information +Remittance Information ++Structured +++Additional Remittance Information	AddtlRmtInf	0..3	0..3	Additional Remittance Information May be used only as a supplement to other sub-elements of <Strd>. Business rule added that element may only be used as a supplement to other sub-elements of <Strd> (adaption of SPS 2022 usage). Removal of payment type-specific definition ESRPMT CR2022-SIC4-0012	ESRDEB: Must not be used. IPIDEB: Must not be used. SEPPMT: Must not be used. SEPFCP: Must not be used.

Table 5: Credit Transfer Transaction Information Delta (CdtTrfTxInf, B-level)