



Implementation Guidelines for ISO 20022 Interbank Messages

SIC and euroSIC

Settlement Confirmation (camt.054)

Version 2.3, valid from 21 November 2025

Change history

All the changes carried out in this document are listed below with the version designation, the change date, a brief description of the change and the specification of the chapters affected.

Version	Date	Description of the change	Chapter
2.3	28.02.2025	Modifications per SIC Platform Release 4.12	
		Modifications of "Technical specifications for the RTGS services": Addition of a reference to the base document due to changed specifications for "ISODateTime" (CR2025-SIC4-0002) for the following elements: <ul style="list-style-type: none"> .../GrpHdr/CreDtTm .../Ntfctn/Ntry/BookgDt/DtTm 	4.1, 4.3
2.2	28.02.2023	Modifications per SIC Platform Release 4.10	
		New chapter "Parties of a transaction" (clarification of current system behaviour for the purpose of alignment with recapitulation message camt.052, no functional change)	3.3
		Modifications due to the introduction of new use cases for liquidity distribution from/to SIC IP service (CR2023-SIC4-0006): <ul style="list-style-type: none"> Note added for settlement confirmation for a "Transfer payment to SIC-IP service" 	2
		<ul style="list-style-type: none"> New chapter "Involved settlement accounts for transfer payments" 	3.4
		<ul style="list-style-type: none"> Element .../Ntfctn/Ntry/NtryDtls/TxDtls/RltdPties (newly used): Providing the involved settlement accounts for transfer payments in the <DbtrAcct> and <CdtrAcct> sub-elements 	4.4
2.1	07.04.2022	Element .../Ntfctn/Ntry/BkTxCd/Prtry/Cd: Addition of reference to names of payment types according to base document	4.3
		Errata per SIC Platform Release 4.9	
		New CH schema version camt.054.001.08.ch.02.xsd (Details according to separate document "Overview and Change Log for the XML schemas")	1.4
2.0	17.12.2021	Modifications to the "Technical specifications for the RTGS services" according to the separate document "Delta Commentary camt.052"	4
		Complete revision due to update of ISO 20022 version 2019	All
		New chapter "Introduction" (replaces the previous chapter "Overview of the documentation structure" and appendices)	1
		New ISO 20022 schema version	1, 2
		Added the "UETR" of the settled payment under the chapter "Use of references"	3.2
		Complete revision of "Technical specifications for the RTGS services"; Details as per the separate document "Delta Commentary camt.054"	4
1.3	28.02.2020	Additional details about the parties involved in the transaction in the introduction chapter "Entry Details (NtryDtls, D-level)"	4.4
		Last edition based on previous ISO 20022 version status	All
1.0	16.05.2014	First edition	All

Table 1: Change history

Please address all suggestions, corrections, and proposed improvements to this document to:

SIX Interbank Clearing Ltd

Hardturmstrasse 201

CH-8005 Zurich

Email: contact.sic@six-group.com

www.six-group.com

General notes

SIX Interbank Clearing Ltd ("**SIC Ltd**") reserves the right to modify this document, as the need arises, at any time without prior notice.

SIC Ltd reserves all rights for this document including the rights of photomechanical reproduction, storage on electronic media and the translation into foreign languages.

Although great care has been taken in the compilation and preparation of this work to ensure accuracy, errors and omissions cannot be entirely ruled out. SIC Ltd cannot be held liable for any decision made or action taken in reliance on the information in this document or for any consequential, special or similar damages.

To improve readability, the use of masculine and feminine forms of language are avoided wherever possible. All personal designations are to be regarded as gender neutral.

If you detect any errors in this document or have any ideas or suggestions for improvements, we would be extremely grateful if you would notify these by e-mail to [**contact.sic@six-group.com**](mailto:contact.sic@six-group.com).

Table of contents

Change history	2
General notes	4
Table of contents	5
Table of tables	6
Table of figures.....	7
1 Introduction.....	8
1.1 Overview of the documentation structure	8
1.2 Target audience.....	9
1.3 Change control	9
1.4 XML schema	9
1.5 Reference documents	9
2 ISO definitions	10
3 Business specifications for the RTGS services	11
3.1 Use case.....	11
3.2 Use of references	11
3.3 Parties of a transaction	12
3.4 Involved settlement accounts for transfer payments	12
3.5 Time of settlement and value date of the payment.....	13
3.6 Further business specifications.....	13
4 Technical specifications for the RTGS services.....	14
4.1 Group Header (GrpHdr, A-level).....	14
4.2 Notification (Ntfctn, B-level).....	17
4.3 Entry (Ntry, C-level)	20
4.4 Entry Details (NtryDtls, D-level)	23

Table of tables

Table 1:	Change history	3
Table 2:	Use case for the ISO 20022 message type "camt.054"	11
Table 3:	Involved settlement accounts for transfer payments	12
Table 4:	Group Header (GrpHdr, A-level).....	16
Table 5:	Notification (Ntfctn, B-level)	19
Table 6:	Entry (Ntry, C-level)	22
Table 7:	Entry Details (NtryDtls, D-level).....	34

Table of figures

Figure 1:	Documentation structure for message type "camt.054"	8
Figure 2:	Basic message structure of the "camt.054" message	10
Figure 3:	References in the "camt.054" message	11
Figure 4:	References of the confirmed payment	12
Figure 5:	Time of settlement of the confirmed payment.....	13
Figure 6:	Value date of the confirmed payment	13
Figure 7:	Group Header (GrpHdr, A-level).....	14
Figure 8:	Notification (Ntfctn, B-level)	17
Figure 9:	Entry (Ntry, C-level)	20
Figure 10:	Entry Details (NtryDtls, D-level).....	23

1 Introduction

1.1 Overview of the documentation structure

The Implementation Guidelines consist of a base document with general information concerning all message types and various module documents – one for each ISO 20022 message type, e.g. this document for the message type "camt.054" – with message-specific information, including information on the application-specific handling of individual elements. They specify the messages to be submitted to and delivered from the RTGS services SIC and euroSIC in the ISO 20022 message standard.

These Implementation Guidelines are modular in structure:

- The base document contains general information applying to all messages.
- The module documents – one for each ISO 20022 message type – contain message-specific information, including information on the application-specific handling of certain elements.
- For each Implementation Guideline, an XML schema (XSD) and generic XML sample messages will be published.




Figure 1: Documentation structure for message type "camt.054"

1.2 Target audience

The "Implementation Guidelines for ISO 20022 Interbank Messages" are addressed to all participants of the Swiss RTGS services SIC and euroSIC.

1.3 Change control

All modifications made to this document are listed in the change history showing the version, the date of the change, a brief description and references to the chapters concerned.

1.4 XML schema

The XML schema for "camt.054" for the RTGS services is published on the www.iso-payments.ch website:

- ***camt.054.001.08.ch.02.xsd***

It should preferably be opened using specialized XML software.


1.5 Reference documents

Additional information on the Implementation Guidelines can be found in the reference documents listed in the base document.

2 ISO definitions

The "Bank to Customer Debit Credit Notification" message (camt.054) is sent by the RTGS services to the participant sending the payment – if a confirmation was requested in the payment message – immediately after settlement of the payment. Note: In case of a "Transfer payment to SIC IP service", a settlement confirmation is generated in any case, i.e. without an explicit request.

The "Bank to Customer Debit Credit Notification" message is based on the ISO 20022 XML schema "camt.054.001.08".



The "camt.054" message is essentially structured as follows:

- **A-level:** Message level, "Group Header" element.
This block must occur exactly once.
- **B-level:** Account level, "Notification" element.
This block must occur at least once and can occur n times in the ISO definition. In the RTGS services, this block is used only once.
- **C-level:** Amount level, "Entry" element.
This block is optional and may occur n times. In the RTGS services, this block is used only once.
- **D-level:** Amount details, "Entry Details" element.
This block is optional and may occur n times. In the RTGS services, this block is used only once.

Figure 2: Basic message structure of the "camt.054" message

3 Business specifications for the RTGS services

3.1 Use case

The "Bank to Customer Debit Credit Notification" message is used in the following use case in the RTGS services:

Use case	Input/Output	ISO 20022
Settlement confirmation	O	camt.054

Table 2: Use case for the ISO 20022 message type "camt.054"

3.2 Use of references

The following references are used in the "camt.054" message:

- A-level: `.../GrpHdr/MsgId` – unique reference of the "camt.054" message
- B-level: `.../Ntfctn/Id` – consecutive number of the "Notification" element within the message.




Figure 3: References in the "camt.054" message

The references of the payment that has been settled are shown in the D-level of the message:

- D-level: .../NtryDtls/TxDtls/Refs/MsgId message identification of the payment
 .../NtryDtls/TxDtls/Refs/TxId transaction identification of the payment
 .../NtryDtls/TxDtls/Refs/UETR UETR of the payment (if present)




Figure 4: References of the confirmed payment

3.3 Parties of a transaction

In order to facilitate the reconciliation, the parties of a transaction (.../TxDtls/RltdAgts/InstgAgt and .../TxDtls/RltdAgts/InstdAgt elements) are always identified by the (unconcatenated) SIC IID, regardless of the identification (SIC-IID or BIC) used in the submission.

3.4 Involved settlement accounts for transfer payments

For a "Transfer payment to SIC IP service" (payment type IPLQTT), in addition to the parties, the settlement accounts involved are supplied under .../TxDtls/RltdPties in the following sub-elements:

Element	Description
<DbtrAcct>	RTGS settlement account to be debited in the source service of the transfer payment
<CdtrAcct>	SIC IP settlement account to be credited in the destination service of the transfer payment

Table 3: Involved settlement accounts for transfer payments

3.5 Time of settlement and value date of the payment

The time of settlement of the confirmed payment is shown in the C-level in the `.../BookgDt/DtTm` element:




Figure 5: Time of settlement of the confirmed payment

The value date of the confirmed payment is shown in the C-level in the `.../ValDt/Dt` element:




Figure 6: Value date of the confirmed payment

3.6 Further business specifications

Further business specifications can be found in the base document.

4 Technical specifications for the RTGS services

4.1 Group Header (GrpHdr, A-level)

The "Group Header" block (A-level of the message) occurs exactly once in the message and contains the following elements:




Figure 7: Group Header (GrpHdr, A-level)

The following table specifies all the elements of the "Group Header" block in the "camt.054" message that are relevant to the RTGS services.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Document +Bank To Customer Debit Credit Notification V08	BkToCstmrDbtCdt Ntfctn	1..1	1..1	
Group Header	GrpHdr	1..1	1..1	
Group Header +Message Identification	MsgId	1..1	1..1	Message Identification
Group Header +Creation Date Time	CreDtTm	1..1	1..1	Creation Date Time See chapter "Times in all services (ISODateTime)" in the Implementation Guideline "Base Document".
Group Header +Message Recipient	MsgRcpt	0..1	1..1	Message Recipient The message is always sent to the instructing participant of the payment referenced in <TxDtls>.
Group Header +Message Recipient ++Identification	Id	0..1	0..1	Identification of Message Recipient The message recipient is identified in the same way as in the referenced payment.
Group Header +Message Recipient ++Identification +++Organisation Identification	OrgId	1..1	1..1	
Group Header +Message Recipient ++Identification +++Organisation Identification ++++Any BIC	AnyBIC	0..1	0..1	Identification of Instructing Participant (BIC) This element must not be used at the same time as <Othr>. Only a valid published BIC (Business Identifier Code) is permitted. BICs for financial or non-financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous alphanumeric characters.
Group Header +Message Recipient ++Identification +++Organisation Identification ++++Other	Othr	0..n	0..1	Identification of Message Recipient (proprietary) This element must not be used at the same time as <AnyBIC>. Must contain a valid identification of an active participant. Must not be concatenated.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Group Header +Message Recipient ++Identification +++Organisation Identification ++++Other +++++Identification	Id	1..1	1..1	Member Identification SIC IID (=6n).

Table 4: Group Header (GrpHdr, A-level)

4.2 Notification (Ntfctn, B-level)

The "Notification" block (B-level of the message) contains information about the settlement account that was debited:




Figure 8: Notification (Ntfctn, B-level)

The following table specifies all the elements of the "Notification" block of the "camt.054" message that are relevant to the RTGS services.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Notification	Ntfctn	1..n	1..1	Notification
Notification +Identification	Id	1..1	1..1	Block Identification Consecutive number of the report element within a message. In the RTGS service always 1, because only one instance of the element will be provided.
Notification +Reporting Source	RptgSrc	0..1	1..1	Clearing System Always used to identify the clearing system.
Notification +Reporting Source ++Proprietary	Prtry	1..1	1..1	Clearing System Identification (proprietary) Identification of the clearing system, the following code values are available: SIC (CHF only) = value SIC must be used euroSIC (EUR only) = value SEU must be used
Notification +Account	Acct	1..1	1..1	Settlement Account Information
Notification +Account ++Identification	Id	1..1	1..1	Settlement Account The Settlement Account will always be provided in the <Othr><Id> element. <IBAN> is not supported.
Notification +Account ++Identification +++Other	Othr	1..1	1..1	
Notification +Account ++Identification +++Other ++++Identification	Id	1..1	1..1	Settlement Account Number Identification of the SIC settlement account.
Notification +Account ++Currency	Ccy	0..1	1..1	Currency Code For SIC always CHF and for euroSIC always EUR.
Notification +Account ++Owner	Ownr	0..1	1..1	Account owner

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Notification +Account ++Owner +++Name	Nm	0..1	1..1	Name of Participant
Notification +Account ++Owner +++Postal Address	PstlAdr	0..1	0..1	Postal Address At least <Ctry> and <TwnNm> will be provided.

Table 5: Notification (Ntfctn, B-level)

4.3 Entry (Ntry, C-level)

The "Entry" block (C-level of the message) contains information about the payment that has been settled.




Figure 9: Entry (Ntry, C-level)

The following table specifies all the elements of the "Entry" block of the "camt.054" message that are relevant to the RTGS services.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Notification +Entry	Ntry	0..n	1..1	
Notification +Entry ++Amount	Amt	1..1	1..1	Settlement Amount
	@ Ccy			Currency Code
Notification +Entry ++Credit Debit Indicator	CdtDbtInd	1..1	1..1	Credit Debit Indicator Fix DBIT.
Notification +Entry ++Status	Sts	1..1	1..1	Booking Status
Notification +Entry ++Status +++Code	Cd	1..1	1..1	Booking Status (Code) Fix BOOK.
Notification +Entry ++Booking Date	BookgDt	0..1	0..1	Booking Date Information
Notification +Entry ++Booking Date +++Date Time	DtTm	1..1	1..1	Booking Date See chapter "Times in all services (ISODateTime)" in the Implementation Guideline "Base Document".
Notification +Entry ++Value Date	ValDt	0..1	0..1	Value Date Information
Notification +Entry ++Value Date +++Date	Dt	1..1	1..1	Value Date

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Notification +Entry ++Bank Transaction Code	BkTxCd	1..1	1..1	Bank Transaction Code
Notification +Entry ++Bank Transaction Code +++Proprietary	Prtry	0..1	1..1	
Notification +Entry ++Bank Transaction Code +++Proprietary ++++Code	Cd	1..1	1..1	Payment Type Payment type of the settled message. Definition of code values for payment types according to the Implementation Guideline "Base Document".

Table 6: Entry (Ntry, C-level)

4.4 Entry Details (NtryDtls, D-level)

The "Entry Details" block (D-level of the message) contains the references and related agents of the payment that has been settled.




Figure 10: Entry Details (NtryDtls, D-level)

The following table specifies all the elements of the "Entry Details" block of the "camt.054" message that are relevant to the RTGS services.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Notification +Entry ++Entry Details	NtryDtls	0..n	1..1	
Notification +Entry ++Entry Details +++Transaction Details	TxDtls	0..n	1..1	
Notification +Entry ++Entry Details +++Transaction Details ++++References	Refs	0..1	1..1	
Notification +Entry ++Entry Details +++Transaction Details ++++References +++++Message Identification	MsgId	0..1	1..1	Original Message Identification Message identification of the settled message.
Notification +Entry ++Entry Details +++Transaction Details ++++References +++++UETR	UETR	0..1	0..1	Unique End-to-end Transaction Reference This identification contains a Universally Unique Identifier (UUID) according to RFC 4122 version 4.
Notification +Entry ++Entry Details +++Transaction Details ++++References +++++Transaction Identification	TxId	0..1	1..1	Transaction Identification Transaction identification of the settled message.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties	RltdPties	0..1	0..1	Related Parties Used for transactions of the IPLQTT payment type. Contains the settlement accounts involved in transfer payments.
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Debtor Account	DbtrAcct	0..1	0..1	Debtor Account RTGS settlement account to be debited in the source service of the transfer payment.
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Debtor Account +++++Identification	Id	1..1	1..1	
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Debtor Account +++++Identification +++++IBAN	IBAN {Or	1..1	1..1	Not used.
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Debtor Account +++++Identification +++++Other	Othr Or}	1..1	1..1	Proprietary Account Format Always used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Debtor Account +++++Identification +++++Other +++++Identification	Id	1..1	1..1	Account (proprietary) Contains account number of an active settlement account in the source service (format =6n).
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Debtor Account +++++Identification +++++Other +++++Scheme Name	SchmeNm	0..1	0..1	Not used.
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Debtor Account +++++Identification +++++Other +++++Issuer	Issr	0..1	0..1	Not used.
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Debtor Account +++++Type	Tp	0..1	0..1	Not used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Debtor Account +++++Currency	Ccy	0..1	0..1	Not used.
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Debtor Account +++++Name	Nm	0..1	0..1	Not used.
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Debtor Account +++++Proxy	Prxy	0..1	0..1	Not used.
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Creditor Account	CdtrAcct	0..1	0..1	Creditor Account SIC IP settlement account to be credited in the destination service of the transfer payment.
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Creditor Account +++++Identification	Id	1..1	1..1	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Creditor Account +++++Identification +++++IBAN	IBAN {Or	1..1	1..1	Not used.
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Creditor Account +++++Identification +++++Other	Othr Or}	1..1	1..1	Proprietary Account Format Always used.
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Creditor Account +++++Identification +++++Other +++++Identification	Id	1..1	1..1	Account (proprietary) Contains account number of an active settlement account in the destination service (format =6n).
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Creditor Account +++++Identification +++++Other +++++Scheme Name	SchmeNm	0..1	0..1	Not used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Creditor Account +++++Identification +++++Other +++++Issuer	Issr	0..1	0..1	Not used.
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Creditor Account +++++Type	Tp	0..1	0..1	Not used.
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Creditor Account +++++Currency	Ccy	0..1	0..1	Not used.
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Creditor Account +++++Name	Nm	0..1	0..1	Not used.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Notification +Entry ++Entry Details +++Transaction Details ++++Related Parties +++++Creditor Account +++++Proxy	Prxy	0..1	0..1	Not used.
Notification +Entry ++Entry Details +++Transaction Details ++++Related Agents	RltdAgts	0..1	1..1	Related Agents
Notification +Entry ++Entry Details +++Transaction Details ++++Related Agents +++++Instructing Agent	InstgAgt	0..1	1..1	Instructing Participant
Notification +Entry ++Entry Details +++Transaction Details ++++Related Agents +++++Instructing Agent +++++Financial Institution Identification	FinInstnId	1..1	1..1	

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Notification +Entry ++Entry Details +++Transaction Details ++++Related Agents +++++Instructing Agent +++++Financial Institution Identification ++++++Clearing System Member Identification	ClrSysMmbId	0..1	1..1	Identification of Instructing Participant (proprietary)
Notification +Entry ++Entry Details +++Transaction Details ++++Related Agents +++++Instructing Agent +++++Financial Institution Identification ++++++Clearing System Member Identification ++++++Clearing System Identification	ClrSysId	0..1	1..1	Clearing System Identification
Notification +Entry ++Entry Details +++Transaction Details ++++Related Agents +++++Instructing Agent +++++Financial Institution Identification ++++++Clearing System Member Identification ++++++Clearing System Identification ++++++Code	Cd	1..1	1..1	Clearing System Identification (code) Code CHSIC will be provided.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Notification +Entry ++Entry Details +++Transaction Details ++++Related Agents +++++Instructing Agent +++++Financial Institution Identification +++++Clearing System Member Identification +++++Member Identification	MmbId	1..1	1..1	Identification of Instructing Participant (proprietary) SIC IID (=6n).
Notification +Entry ++Entry Details +++Transaction Details ++++Related Agents +++++Instructed Agent	InstdAgt	0..1	1..1	Instructed Participant
Notification +Entry ++Entry Details +++Transaction Details ++++Related Agents +++++Instructed Agent +++++Financial Institution Identification	FinInstnId	1..1	1..1	
Notification +Entry ++Entry Details +++Transaction Details ++++Related Agents +++++Instructed Agent +++++Financial Institution Identification +++++Clearing System Member Identification	ClrSysMmbId	0..1	1..1	Identification of Instructed Participant (proprietary)

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Notification +Entry ++Entry Details +++Transaction Details ++++Related Agents +++++Instructed Agent +++++Financial Institution Identification +++++Clearing System Member Identification +++++Clearing System Identification	ClrSysId	0..1	1..1	Clearing System Identification
Notification +Entry ++Entry Details +++Transaction Details ++++Related Agents +++++Instructed Agent +++++Financial Institution Identification +++++Clearing System Member Identification +++++Clearing System Identification +++++Code	Cd	1..1	1..1	Clearing System Identification (code) Code CHSIC will be provided.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Notification +Entry ++Entry Details +++Transaction Details ++++Related Agents +++++Instructed Agent +++++Financial Institution Identification +++++Clearing System Member Identification +++++Member Identification	MmbId	1..1	1..1	Identification of Instructed Participant (proprietary) SIC IID (=6n).
Notification +Entry ++Entry Details +++Transaction Details ++++Additional Transaction Information	AddtlTxInf	0..1	0..1	Additional Transaction Information Not provided.

Table 7: Entry Details (NtryDtls, D-level)